IMPERIAL INSTITUTE
12 SEP 1913
LIBRARY

TROPICAL DISEASES BULLETIN

ISSUED UNDER THE DIRECTION OF THE HONORARY MANAGING COMMITTEE OF THE TROPICAL DISEASES BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

COMMONWEALTH MYCOLOGICAL INSTITUTE
26 MAY 1971

VOL 1.

NOVEMBER 15, 1912—MAY 15, 1913.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C.

1912—1913.

Digitized by the Internet Archive
in 2025

https://archive.org/details/tropical-diseases-bulletin_november-15-1912-may-15-1913_1_index-contents

HONORARY MANAGING COMMITTEE.

Chairman :

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.,
(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).

Sir John Rose Bradford, K.C.M.G., F.R.S.,
(representing the Royal Society).

Surgeon-General Sir David Bruce, C.B., F.R.S.

Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.

Colonel Sir William B. Leishman, R.A.M.C., F.R.S., K.H.P.

Sir John M'Fadyean, M.R.C.V.S.

Sir Patrick Manson, G.C.M.G., F.R.S.

Sir Ronald Ross, K.C.B., F.R.S.

Sir S. Stockman, M.R.C.V.S.

Mr. J. A. C. Tilley,
(representing the Foreign Office and Sudan Government).

Mr. H. J. Read, C.M.G.,
(representing the Colonial Office),
with
Mr. A. Berriedale Keith, M.A., D.C.L.,
of the Colonial Office, as Secretary.

STAFF OF THE BUREAU.

Director :

A. G. Bagshawe, M.B., B.C., D.P.H. Cantab.,
of the Uganda Medical Staff.

Assistant Director :

G. C. Low, M.A., M.D., *Lecturer, London School of Tropical Medicine.*

Librarian :

R. L. Sheppard.

Sectional Editors :

Fleet-Surgeon P. W. Bassett-Smith, R.N., C.B., M.R.C.P.

Lieut-Colonel C. Birt, R.A.M.C.

Aldo Castellani, M.D.

Captain S. R. Douglas, I.M.S. (retd.).

H. B. Fantham, B.A., D.Sc.

Edward Hindle, Ph.D.

R. T. Leiper, M.B., Ch.B.,

F. M. Sandwith, M.D., F.R.C.P.

J. Henderson Smith, M.B., Ch.B.

David Thomson, M.B., Ch.B., D.P.H.

C. M. Wenyon, M.B., B.S., B.Sc.

Warrington Yorke, M.D.

Editor of the Tropical Veterinary Bulletin :

A. Leslie Sheather, B.Sc., M.R.C.V.S.

CONTENTS.

SECTIONS.

	PAGES.
Beriberi	161–174, 477–487
Blackwater Fever	28–31, 254–258, 493–495
Book Reviews	58, 234, 476, 589–590
Cell Inclusions	415–416
Cholera	205–216, 445–453, 704–709
Dengue	240–245
Destruction of Biting Arthropods and Ticks	531–535
Dysentery (Amoebiasis and Amoebic Dysentery, Liver Abscess, Bacillary Dysentery, Flagellate Dysentery, and Unclassed Dysenteries)	175–189, 454–469, 710–724
Fevers, Unclassed	240–245
Filariasis	82–98, 417–425
Heat Stroke	583
Helminthiasis	99–111, 426–444, 695–703
Kala Azar (and Tropical Sore)	1–15, 357–372, 632–643
Leprosy	190–204, 558–575
Malaria	16–27, 115–123, 373–383, 488–492, 644–653
Miscellaneous	112–114, 472–476, 584–588
Myiasis	470–471
Pappataci Fever	235–240
Pellagra	293–307, 679–694
Plague	59–73, 217–226, 308–320, 537–557
Porocephaliasis	403–406
Protozoology	146–160, 259–265, 496–501
Rat Bite Disease	407–409
References, Lists of	321–355, 591–618
Relapsing Fever	32–42, 384–397, 619–631
Reports of British African Colonies	284–292, 729–736
Skin, Tropical Diseases of the	227–233
Sleeping Sickness (and other Trypanosomiases)	43–58, 124–139, [266–283, 502–527, 654–678
Snake Bite	410–414
Sprue	725
Typhus Fever	398–402
Undulant Fever	74–81, 576–582
Verruga peruviana	726–728
Yaws	140–145, 528–530
Yellow Fever	246–253

Index of Authors	737–745
Index of Subjects	746–766

(30919—2.) Wt. P 676—92. 1800. 8/13. D & S.

PLATE.

PAGE.

Cell-inclusions in the blood in Blackwater Fever (to illustrate the abstract of Sir Wm. Leishman's paper) *to face* 30

ILLUSTRATIONS IN THE TEXT.

Apparatus for artificial feeding of tsetse flies on citrated blood 124
Apparatus for cultivating *Treponema pallidum* in fluid media 141
Tetramitus Mesnili (Wenyon) 189
Troglodytella abrassarti (Brumpt and Joyeux) 262
Sketch Map of Manchuria and neighbourhood 308
Porocephalus armillatus 403
Brunton's "First Aid" instrument for treatment of Snake Bite 413
Caudal extremities of *Filaria loa* (*diurna*) and *F. bancrofti* embryos 418
Diagram illustrating lymphangioplasty in elephantiasis ... 422
Ova of *Hymenolepis nana* found in faeces 696

ERRATA.

p. 14, third line from end of first paragraph. For the words "Over three weeks" read "Over three months."

p. 52, line 13 from top, for "p. 263" read "p. 236."

p. 75, line 14 from bottom, for "in a dilution of $\frac{1}{10}$" read "in a dilution of $\frac{1}{30}$."

p. 87, lines 11 and 12 from top, for "These glands were not hard as a rule, but formed soft masses (varicose groin glands)" read "These glands were not soft but formed hard masses (*Drusenpakete*)."

DR. FÜLLEBORN has pointed out in a letter that the words *harte* and *weiche* were accidentally transposed in the German original.

p. 316, line 8 from top, for "feet [sic]" read "gut." Capt. KNOWLES writes that this was the word used in his MS.

p. 432, line 11 from top, and p. 440, line 3 from bottom, for *Schistosomum* read *Schistosoma*.

p. 676. In the formula of PONSELLE'S modification of the N.N. medium, for "unwashed gelatine" read "unwashed agar."

INDEX OF AUTHORS.

A.

Abbatucci, 711.
Abelin-Rosenblat. *See* Schürmann & Abelin-Rosenblat.
Achard & Saint-Girons, 28.
Adie, 115, 383.
Aenstoots, 183.
Alcock, 98.
Alexeieff, 158, 496.
Allan, 107, 713.
Allen, 234.
Altman. *See* Stiles & Altman.
Amako & Kojima, 211.
Anderson (A. R. S.), 183.
—— (J. F.) & Goldberger, 401.
—— & McLaughlin, 556.
Andrews, 166.
d'Anfreville, 533.
Angeny, 472.
De Angelis. *See* Tizzoni & De Angelis.
Anglada. *See* Carrieu & Anglada.
Archibald, 704.
Arena, 488.
Army, Report on Health of, 236.
Artault, 701.
Ashburn, Vedder, & Gentry, 630.
Ashworth & Rettie, 499.
Austregesilo, 230.
Aubert & Heckenroth, 667.
Augé & Pezet, 251.
Aumann, 316.

B.

Babcock, 302.
Baerthlein, 450.
——. *See* Dieudonné & Baerthlein, Haendel, & Baerthlein.
Balaschow. *See* Romm & Balaschow.
Balfour, 114, 494, 673.
Bandi, 637, 695.
Bannerman, 410.
Barber, 224.
—— & Teague, 225.
——. *See* Teague & Barber.
Barbézieux, 574.
Barré, 80.
Basile, 369.
Bass, 22, 699.
—— & Johns, 22.
——. *See* Wellman, Bass, & Eustis.
Bassett-Smith, 578, 579, 695.
Bates, 475.
Bauche & Bernard, 95, 423.
Bayon, 195, 560, 571.
Beck (H. G.), 459.
—— (J. E.), 553.
—— & Weck, 654.
Bell, 439.
Beltzer, Kohl-Yakimoff, & Yakimoff, 526.
Benazet. *See* Conor (A.) & Benazet.
Bequaert. *See* Rodhain, Pons, Vandenbranden, & Bequaert.
Berrio, 436.
Bernard & Bauche, 95, 423.
Bertarelli (A.), 198.
—— (E.), 252, 294, 453.
Bettencourt & Borges, 139, 282.
de Beurmann & Labourdette, 561.
——, Ramond, & Larroque, 561.
Bevan & Millington, 515.
Bienassis. *See* Conseil & Bienassis.
Bierger. *See* Kritschewsky & Bierger.
Bignami, 646.
Binger. *See* Wolbach & Binger.
Biot & Richard, 526.
Birt, 398.
Bischoff, 533.
Bisdom, 24.
Bishop, 206.
Bittrolff, 216.
Blackham, 589.
——. *See* Robinson & Blackham.
Blacklock, 53, 534, 535, 661.
——. *See* Carter & Blacklock; Stephens & Blacklock.
Blair, 288.
Blaizot. *See* Nicolle & Blaizot and Nicolle, Blaizot, & Conseil.
Blanchard, 135, 521.
Bodenheimer, 691.
Bondurant, 297.
Bongioannini. *See* Sangiorgi & Bongioannini.
de Bonis & Natale, 706.
Booth, 380.
Borchers, 57.
Borges. *See* Bettencourt & Borges.
Born, 143.
Bouet & Roubaud, 426, 531.
Bouilliez. *See* Leger (M.) & Bouilliez.
Bourrett, 531.
Boycott & Price-Jones, 523.
Bozzolo, 99.
Braddock, 62.
Bradley & Smith, 241.
Brau, 439.
Brault, 688.
Braun & Teichmann, 138.

Bregéat. *See* Sergent, Nègre, Bregéat, & Vivien.
Breinl, 586.
Brieger, 510.
Brochard, 530.
Broden, Rodhain, & Corin, 129.
Brodin. *See* Menetrier & Brodin.
Brooks, 318, 546.
Brown, 78.
Browne, 549.
Browning, 168.
Browse, 386.
Bruce, Harvey, Hamerton, & Lady Bruce, 659.
——, ——, ——, Davey, & Lady Bruce, 671, 675.
Brumpt, 189, 282, 668, 670.
—— & Joyeux, 261.
——. *See* Galliard & Brumpt.
Bruyant, L. *See* Verdun & Bruyant.
Bull. de l'Office Internat. d'Hyg. Publique, 557.
Butler, 465.

C.

Cajozzo, 653.
Caldarola. *See* Signorella & Caldarola.
Cano & Martinez, 452.
Cantieri. *See* Memmi & Cantieri.
Cannata, 8, 363
Carazzi, 123.
Cardamatis, 5, 29, 153, 157.
Carini, 159, 455, 710.
—— & Rudolph 149.
Caronia, 363.
——. *See* Di Cristina & Caronia.
Carpenter, 48.
Carrieu & Anglada, 576.
Carter (H. F.) & Blacklock, 471.
—— (H. R.), 379.
Caryophyllis & Sotiriades, 6.
Casaux, 385.
Castellani, 227, 229, 232, 242, 415, 467, 639.
—— & Low, 725.
Castelli, 36, 141, 389, 390.
Castor, 476.
Cauchemez, 149.
Cazanove, 82.
Cazeneuve. *See* Defressine, Cazeneuve, Olivier, & Coulomb.
Celli, 122.
Cestan & Pujol, 377.
Chalmers. *See* Sambon & Chalmers.
Chambers. *See* Novy, Perkins, & Chambers.
Chartres, 284.
Chatton, 498, 499.
—— & Delanoë, 149.
Chauffard, 712, 714.
Chevallier, 487.
Chitale, 96.
Christophers, 373.
Chwilewizky, 451.
Cipolla, 638.
Ciuca. *See* Henry & Ciuca.
Clegg. *See* Currie & Clegg; Currie, Clegg, & Hollmann; McCoy & Clegg.
Clemesha, 589.
Cleveland, 729.
Cockin, 99, 144.
Cohendy, 459.
Cohoon & Farnell, 682.
Cole, 726.
Conor (A.) & Benazet, 103, 105.
——. *See* Nicolle & Conor (A.).
—— (M.). *See* Nicolle & Conor (M.).
Conseil, 399, 445.
—— & Bienassis, 35.
——. *See* Nicolle, Blaizot, & Conseil.
Cook. *See* Myer & Cook.
Cooper, 480.
Coppedge, 107.
Corin. *See* Broden, Rodhain & Corin.
Coryllos & Pérakis, 625.
Costa, 714.
Coulomb. *See* Defressine, Cazeneuve, Olivier, & Coulomb.
Courtois-Suffit, Jacquet, & Géry, 103.
Couvy. *See* Marchoux & Couvy.
Craig, 179, 463.
Creel, 485, 554.
Crespin & Beguet, 491.
Di Cristina, 6, 362.
—— & Caronia, 7.
Crowell. *See* Strong & Crowell: Strong, Crowell, & Teague.
Cruickshank, 408.
Csernel, 705.
Currie & Clegg, 200.
——, ——, & Hollmann, 198, 570.
—— & Hollmann, 201.

D.

Dagorn & Heymann, 182, 376.
Dale. *See* Rothermundt, Dale, & Peschié.
Daniels, 273.
—— & Newham, 58.
Danulesco, 629.
Darling, 180, 316, 462, 720.
Darré. *See* Martin & Darré.
Davys, 115.
Day. *See* Richards & Day.
Deeks, 244, 460.
Defressine, Cazeneuve, Olivier, & Coulomb, 205.
Degorce, 437, 528.
—— & Mouzels, 140.

Delanoë (P.) & Delanoë (Mme.), 58, 134.
——. *See* Chatton & Delanoë.
Delbanco, 194.
Deminsky, 549.
Dendrinos, 642.
Denier, 187.
Denman, 585.
Deutmann, 312.
Deutz, 384.
Devaux. *See* Malfilatre & Devaux.
Devoto, 295.
Dias, 519.
Dieudonné & Baerthlein, 208.
van Dijken, 709.
Dobell, 393.
Dohi & Hidaka, 630.
Dominici-Urbani & Leger (M.), 81.
Dopter, 714.
Dorsett, 101.
Dschunkowsky, 624.
Dubois, 128.
——. *See* Mouchet & Dubois.
Dujardin-Beaumetz & Mosny, 68.
Duke, 45, 137, 271.
——. *See* Fraser & Duke.
Dumas. *See* Flandin & Dumas.
Duval, 196.
Dyer, 691.

E.

Edie, Evans, Moore, Simpson, & Webster, 163.
——. *See* Simpson & Edie.
Emmerich, 447.
——. *See* Uhlenhuth & Emmerich.
Ercolani, 237.
Esch, 208.
Escomel, 719.
Eustis. *See* Wellman, Bass, & Eustis.
Evans. *See* Edie, Evans, Moore, Simpson, & Webster.
von Ezdorf, 313, 488.

F.

Facciola, 492.
Fantham, 154, 357.
—— & Porter, 156, 501.
——. *See* Stephens & Fantham.
Fargier, 171.
Farnell. *See* Cohoon & Farnell.
Fell, 278.
Ferguson (A. R.), 428.
——. *See* Madden, Ibrahim, & Ferguson.
—— (J. E. A.), 729.
Fermi & Lumbau, 16.
Field, 711.
Fink, 254, 461.
Firth, 646.
Fischer, 505.
——. *See* Kleine & Fischer.
Fitzsimons, 412.
Flandin & Dumas, 714.
Fleming, 655.
Foley, 417.
—— & Leduc, 239.
Fontana, 42.
Forde, 284.
Fowler, 731.
Fox, 243.
Foy, 179.
França, 500.
Franchini, 9, 369, 370, 641.
—— & Mantovani, 641.
Fränkel, 42.
Fraser, 732.
—— & Duke, 46, 47, 48.
—— & Stanton, 172.
Frost, 65.
Frugoni, 409.
Fry, 115, 644.
Fülleborn, 86, 87, 88, 95.
Funk, 161, 165, 482, 483.
Fusco, 378.

G.

Gabbi, 114, 238, 365, 380, 584, 632, 633.
—— & Sabella, 233.
Galeotti, 452.
Galli-Valerio, 15.
—— & Popoff-Tcherkasky, 209.
Galliard & Brumpt, 454.
Gamble, 665.
Garin. *See* Paviot & Garin.
Gasbarrini, 206.
de Gasperi, 396.
Gauducheau, 181, 182, 468.
Gentry. *See* Ashburn, Vedder, & Gentry.
Gerber, 629.
Gerber (I.), 695.
Géry. *See* Courtois-Suffit, Jacquet, & Géry.
Gibbon, 122.
Giemsa, 18.
Gill, 115.
Gioseffi, 211.
Gleitsmann, 622.
Glogner, 483.
Glover, 100.
Goéré, 453.
Goldberger. *See* Anderson & Goldberger.
Gonder, 281.
Goodhue, 303.
Gouzien, 170.
Graham, 96, 493.
Gray, 637.
Green, 684.
Greig, 214, 449.
Grimm, 686.
Gronberg, 107.
Guerreiro, 521.
Guiteras, 314, 548.
Guthrie, 550.

H.

Haendel & Baerthlein, 208.
Halberstaedter, 56.
Hall. *See* Ransom & Hall.
Hallenberger, 232.
Hamerton. *See* Bruce, Harvey, Hamerton, & Lady Bruce.
——. *See* Bruce, Harvey, Hamerton, Davey, & Lady Bruce.
Hanschell. *See* Wenyon & Hanschell.
Harper, 528.
Harrington, 299.
Harrison, 395.
Harston, 589.
Harvey (C.), 253.
Harvey (D.). *See* Bruce, Harvey, Hamerton, & Lady Bruce.
——. *See* Bruce, Harvey, Hamerton, Davey, & Lady Bruce.
Hastings. *See* Smith & Hastings.
Hata, 407.
Hayes, 188.
Hearsey, 54, 279, 291, 657.
Heckenroth. *See* Aubert & Heckenroth.
Heiser, 553.
v. d. Hellen, 666.
Henry, 437.
—— (A.) & Ciuca, 110, 443.
——. *See* Railliet, Henry, & Joyeux; Railliet, Henry, & Langeron.
—— (H.), 264, 396.
Henson, 380.
Hermant, 34.
Herrick (H.), 119.
—— (W. W.), 701.
Heymann. *See* Dagorn & Heymann.
Hidaka. *See* Dohi & Hidaka.
Hiller, 583.
Hindle, 152.
—— & Lewis, 152.
Hirschfelder, 305.
Hoag, 297.
Hodge. *See* Husband & Hodge.
Hodges, 135, 289.
——, 135, 289.
Hofer. *See* Kraus, Hofer, & Ishiwara.
Hoffman, 394.
Hollmann. *See* Currie, Clegg, & Hollmann; Currie & Hollmann.
Holmes, 630.
Hood, 286.
Horimi, 715.
Hossack, 71.
Hostalrich, 193.
d'Hostalrich, 552.
Hügel. *See* Uhlenhuth, Mulzer, & Hügel.
Hughes, 144.
Hunt, 185.
Hunter, 94.
Husband & Hodge, 240.

I.

Ibrahim. *See* Madden, Ibrahim, & Ferguson.
Illinois Pellagra Commission, 69, 300.
India, Sanitary Commissioner, 66, 235.
Ishiwara, 572.
——. *See* Kraus, Hofer, & Ishiwara.

J.

Jackson (T.), 110.
—— (T. W.), 380.
Jacquet. *See* Courtois-Suffit, Jacquet, & Géry.
James (H. M.), 254.
—— (S. P.) & Stanton, 115.
—— (W. M.), 722.
Jamison, 699.
Janssen, 62.
Jatta, 448.
Jemma, 5, 11.
Jennings & King, 681.
Jerusalemy, 192.
Johns. *See* Bass & Johns.
Johnson (J. T. C.), 275.
—— (L. F.), 697.
Jones, 468.
de Jonge, 317.
Joukoff, 490.
Joyeux, 105, 432, 560, 648.
——. *See* Brumpt & Joyeux; Railliet, Henry & Joyeux.
Jukes, 387.
Justi, 17.

K.

Kaufman, 489.
Keilin. *See* Weinberg & Keilin.
Kennedy, 241.
Kenrick, 488.
Kerr, 528.
Kindleberger, 440.
King (H. D.), 72.
—— (W. V.). *See* Jennings & King.
Kinghorn & Yorke, 43, 126, 139, 516.
——, ——, & Lloyd, 268.
Kleine, 137.
—— & Fischer, 270.
Klodnitzky, 63, 398.
Knowles, 315.
Kobayashi, 429.
Koch (C. A.), 529.
—— (W. V. M.), 392.
Kohl-Yakimoff. *See* Beltzer, Kohl-Yakimoff, & Yakimoff; Yakimoff & Kohl-Yakimoff.
Kolle, Rothermundt, & Peschié, 38.
Kondoléon, 93, 422.
Kraus (H.), 708.
—— (R.), Hofer, & Ishiwara, 571.

Kritschewsky & Bierger, 568.
von Krogh. *See* Schilling; von Krogh, Schrauth, & Schoeller.
Kubo, 455.
Kuenen. *See* Schüffner & Kuenen.
Külz, 20, 232.

L.

Labourdette. *See* de Beurmann & Labourdette.
La Cava, 370.
Lafont, 280.
Lafora, 121.
Lagane, 566.
Lalor, 115, 653.
Lamoureux, 438, 625.
Lancelin, 308.
Landes, 450.
Lane, 97.
Lanfranchi, 129.
Lang, 213.
Langeron, 106, 239, 590.
——. *See* Railliet, Henry, & Langeron.
Larroque. *See* de Beurmann, Ramond, & Larroque.
Launoy & Levaditi, 389.
Laveran, 359, 371, 512, 633, 636, 713.
—— & Mesnil, 522.
—— & Nattan-Larrier, 13.
—— & Roudsky, 678.
Lavinder, 295, 299, 302, 307, 489.
Law, 435.
Laws, 169.
Lawson, 177.
Leboeuf, 190, 191, 558, 565.
Leduc. *See* Foley & Leduc.
Lee, 302.
Le Fanu, 249.
Legendre, 34, 243, 379, 531, 652.
—— & Lucas, 227.
Leger (A.), 84, 155, 518.
—— (M.) & Bouilliez, 26.
—— & Dominici-Urbani, 81.
—— & Séguinaud, 238.
Legrain, 26.
Legrand, 460.
L'Héritier. *See* Sergent (E. & E.), L'Héritier, & Lemaire.
Leiper, 441.
Leishman, 29, 256.
Lemaire. *See* Sergent (E. & E.), L'Héritier, & Lemaire.
Leonard. *See* Stiles & Leonard.
Lepeuple, 63.
Le Roy des Barres, 715.
Leslie, 110.
Letulle & Nattan-Larrier, 234.
Levaditi, 39.
——. *See* Launoy & Levaditi.
Lewis. *See* Hindle & Lewis.
Leys, 434.
Lignos, 4, 634, 637.
Lindsay, 193.
Lionarons, 207.
Liston, 59.
—— & Williams, 194.
Lloyd, 276.
——. *See* Kinghorn, Yorke, & Lloyd.
Logan, 105.
van Loghem, 450.
Lohlein, 405.
Long, 69.
Longo, 362, 580.
Lovelace, 484.
Low, 89, 108, 420.
——. *See* Castellani & Low.
Lucas. *See* Legendre & Lucas.
Lumbau. *See* Fermi & Lumbau.
Luna, 79.
Lunn, 106.
Lustig, 20.
Lynch, 730.
Lyons, 176.

M.

MacConkey, 546.
McCoy, 68, 72.
—— & Clegg, 190.
Macfie, 674.
Machow, 571.
McLaughlin, 486.
——. *See* Anderson & McLaughlin.
McLellan. *See* Thomson (J. G.), McLellan, & Ross.
McPherson, 734.
Madden, Ibrahim, & Ferguson, 92.
Malfilatre & Devaux, 686.
Manaud, 168, 319.
Mancini, 704.
Manning (F.), 288.
Manning (J. v. V.), 70.
Manoiloff, 491.
Manteufel, 237.
Mantovani, 10.
——. *See* Franchini & Mantovani.
Marchoux, 193.
—— & Couvy, 395.
—— & Sorel, 202, 572.
Markl, 555.
Marshall, 3.
Martin (C. J.), 550.
—— (E. H.), 690.
—— (Louis) & Darré, 506.
Martinez. *See* Cano & Martinez.
Marullaz, 263.
—— & Roudsky, 500.
Marzinowsky, 365.
Massaglia, 363.
Mathieu, 723.
Matsuo, 71.
Maxwell (J. L.), 456.
—— (J. Preston), 411.
May, 55, 655.

Mayer, 186.
——, Rocha-Lima, & Werner, 727.
Mazzetti, 705.
Mazzitelli, 635.
Megaw, 212.
Mello-Leitao, 718.
Memmi & Cantieri, 650.
Menetrier & Brodin, 454.
Mereshkowsky, 71.
Merian, 192, 567.
Mesnil, 131.
——. *See* Laveran & Mesnil.
Messerschmidt, 185, 391.
Migone, 635, 639.
Milian, 715.
Millington. *See* Bevan & Millington.
Millous, 623, 699, 720.
Milton, 104.
Minchin, 127, 259.
Minett, 563.
——. *See* Wise & Minett.
Missiroli, 77, 80.
Mitter, 423.
Moldovan, 27.
Monge, 726.
Monobe. *See* Sugai & Monobe.
Montfort, 55.
Morelli, 210.
Moresten, 469.
Moore. *See* Edie, Evans, Moore, Simpson & Webster.
Mosny. *See* Dujardin-Beaumetz & Mosny.
Moss, 586.
Mouchet & Dubois, 530.
Mouneyrat & Tanon, 392.
Mouzels & Nguyên-Xuan-Mai, 34.
——. *See* Degorce & Mouzels.
Mühlens, 122, 237.
Muir, 78 79.
Müller, 189.
Mulzer. *See* Uhlenhuth, Mulzer, & Hügel.
Murata, 311.
Mursell, 104.
Myer & Cook, 714.

N.

Nägele, 244.
Nakano, 262.
Natale, 79.
——. *See* Bonis & Natale.
Nattan-Larrier, 188, 525.
——. *See* Laveran & Nattan-Larrier; Letulle & Nattan-Larrier.
Neave, 277.
Nègre & Raynaud, 75.
——. *See* Sergent, Nègre, Bregéat, & Vivien.
Nelson, 426.
Neveu-Lemaire & Roton, 106.
Newham. *See* Daniels & Newham.
Newstead, 523.
Nguyên-Xuan-Mai. *See* Mouzels & Nguyên-Xuan-Mai.
Nicholls, 100, 294, 295, 651.
Nicolaidi, 306.
Nicoll, 66, 436.
Nicolle, 632.
—— & Blaizot (L.), 41, 365, 620, 621.
——, ——, & Conseil, 32, 626.
—— & Conor (A.), 76.
—— & —— (M.), 10.
Nijland, 707.
Niles, 689.
Noc, 252, 558.
Noguchi, 40, 41, 141, 384.
Nöller, 497.
Normet, 723.
Novy, Perkins, & Chambers, 510.
Nuttall, 522, 619.

O.

Obst, 123.
O'Connell, 382.
Oehler, 525.
Ogilvie, 583.
Ohly, 188.
Olivier. *See* Defressine, Cazeneuve, Olivier, & Coulomb.
Olpp, 376.
Orenstein, 652.
Ormsby, 300.
Oudard, 205.
Ouzilleau, 419.

P.

Paget, 734, 735.
Paldrock, 560, 562, 573.
Paul, 449, 706.
Papellier, 564.
Paravicini, 561.
Parham. *See* Skelton & Parham.
Patella, 160.
Pattison, 193.
Patton, 1, 160, 357.
Paucot, 628.
Paviot & Garin, 711.
Peiper, 698.
Pelletier, 92.
——. *See* Thiroux & Pelletier.
Penard, 464.
Pérakis. *See* Coryllos & Pérakis.
Perkins. *See* Novy, Perkins, & Chambers.
Perry (A.), 143.
—— (E. L.), 115.
—— (J. C.), 244.
Peschié. *See* Kolle, Rothermundt, & Peschié.
v. Petersen, 372.
Petrow, 8.
Pezet. *See* Augé & Pezet.
Pfletschinger, 711.

Pichoy, 255.
Pieter, 470.
Piraja da Silva. *See* da Silva.
Plague: Advisory Committee Report, 537–543.
Plimmer, 94, 146.
Pöch, 72.
Poleck, 244.
Pollak, 215.
Pomella, 443.
Pons. *See* Rodhain, Pons, Vandenbranden, & Bequaert.
Ponselle, 676.
Popoff-Tcherkasky. *See* Galli-Valerio & Popoff-Tcherkasky.
Porter. *See* Fantham & Porter.
Poumeyrac, 648.
Pozzilli, 25.
Prampolini, 25.
Price-Jones. *See* Boycott & Price-Jones.
Pricolo, 425.
Pringault, 573.
von Prowazek, 148, 180, 397, 631.
Pujol. *See* Cestan & Pujol.
Pulvirenti, 638.

R.

Rabinowitsch, 400, 565.
Railliet, Henry, & Joyeux, 442.
——, ——, & Langeron, 95.
Ramond. *See* De Beurmann, Ramond, & Larroque.
Ranken, 140, 507, 663.
Ransom & Hall, 440.
Rau, 315.
Raubitschek, 303.
Raynaud, 314.
—— (M.). *See* Nègre & Raynaud.
Reed, 694.
Reenstjerna, 194.
Rettie. *See* Ashworth & Rettie.
Rice, 285.
Richards & Day, 112.
Ringenbach, 518.
Riquier, 509.
Rivas & Smith, 447.
——. *See* Smith & Rivas.
Rizzuti & Scordo, 400.
Roberts (C. D.), 78.
—— (S. R.), 293.
Robertson (Muriel), 44, 151, 267, 502.
Robbins, 683.
Robinson & Blackham, 236.
Rocamora, 199.
da Rocha-Lima, 134, 642.
——. *See* Mayer, Rocha-Lima, & Werner, 727.
Rodenwaldt, 232.
Rodhain, Pons, Vandenbranden, & Bequaert, 124, 154, 266, 517.
——. *See* Broden, Rodhain, & Corin.
Roehr, 316.
Rogers, 176, 177, 411, 458.
Romm & Balaschow, 184.
Ronchèse, 577.
Rondoni, 305.
Rosanow, 421.
Rosati, 378.
Rosenberger & Terrel, 456.
Rosenblat, 139.
Ross (P. H.), 505, 621.
—— (Ronald). *See* Thomson (J. G.), McLellan, & Ross (Ronald).
Rossi (G.), 374.
Rossi (O.), 685.
Rost, 474.
Rothermundt, Dale, and Peschié, 626.
——. *See* Kolle, Rothermundt, & Peschié.
Roton. *See* Neveu - Lemaire & Roton.
Roubaud, 503.
——. *See* Bouet & Roubaud.
Roudsky, 527.
——. *See* Laveran & Roudsky; Marullaz & Roudsky.
Roux, 574, 717.
—— & Tardieu, 430.
Row, 357, 358.
Rowland, 543, 544, 545, 546.
Rowley-Lawson, 647.
Royal Society Sleeping Sickness Commission, 46. *See also* Bruce, Harvey, Hamerton, Davey, & Lady Bruce.
Rucker, 69, 533, 554.
Rudolph. *See* Carini & Rudolph.
Ruge, 492.
Rutherfoord, 564.
Ryan, 489.
Ryley, 18.

S.

Sabella, 143.
——. *See* Gabbi & Sabella.
Saint-Girons. *See* Achard & Saint-Girons.
Saisawa, 424.
Salmon, 510.
Sambon, 403.
—— & Chalmers, 688.
Sangiorgi, 155.
—— & Bongioannini, 717.
Santamaria, 693.
Schaumann, 162, 479.
Schepilewsky, 52.
Schiavone & Trerotoli, 708.
Schilling, von Krogh, Schrauth, & Schoeller, 36.
Schilling-Torgau, 415.
Schnee, 123.
Schoeller. *See* Schilling, von Krogh, Schrauth, & Schoeller.
Scholz, 67.

Schrauth. *See* Schilling, von Krogh, Schrauth, & Schoeller.
Schüffner, 102.
—— & Kuenen, 172.
—— & Vervoort, 700.
Schumacher, 563.
Schürmann & Abelin-Rosenblat, 446.
Schurupoff, 68, 70.
Schwetz, 56, 519.
Scialom, 216.
Scordo, 364, 402, 578, 633.
——. *See* Rizzuti & Scordo.
Segale, 215, 707.
Ségumand. *See* Leger and Segumand.
Seidelin, 13, 238, 246.
Semple, 26.
Seppilli, 692.
Sergent (Et.) & Sergent (Ed.), 27.
——, ——, L'Héritier, & Lemaire, 368.
—— (Edm.), Nègre, Bregéat, & Vivien, 445.
Sheppard, 295.
Sherman, 684.
Shibayama, 171, 317.
Shiga, 164, 169.
Shircore, 656.
Shrikhande, 111.
Signorelli, 210.
—— & Caldarola, 547.
da Silva, 14, 470.
Simon, 459.
Simond & Vallery-Radot, 446.
Simpson, 21.
—— & Edie, 382.
——. *See* Edie, Evans, Moore, Simpson, & Webster; Thomson (D.) & Simpson.
Sinton, 118, 123, 158.
——. *See* Thomson (J. G.) & Sinton.
Skelton, 256.
—— & Parham, 559.
Sleeping Sickness Commission of the Royal Society, 46. *See also* Bruce, Harvey, Hamerton, Davey, & Lady Bruce.
Smith (Allen J.) & Rivas, 569.
—— . *See* Rivas & Smith.
—— (F.), 123.
—— & Hastings, 486.
——. *See* Bradley & Smith.
Smithies, 469.
Smoke & Strick, 475.
Snyder, 298.
van Someren, 48.
Sorel, 559.
——. *See* Marchoux & Sorel; Wurtz & Sorel.
Sotiriades. *See* Caryophyllis & Sotiriades.
Spagnolio, 8, 361, 364, 635.
Splendore, 11.
Stannus, 431.
Stanton, 115.
——. *See* Fraser & Stanton; James & Stanton.
Stanziale, 567.
Stein, 203.
Stephens & Blacklock, 662.
—— & Fantham, 131, 657.
Stibbe, 140.
Stiefler, 297.
Stiles, 724.
—— & Altman, 433.
—— & Leonard, 434.
Strachan, 78.
Strick. *See* Snoke & Strick.
Strong, 217.
—— & Crowell, 477.
——, ——, & Teague, 221.
—— & Teague, 217, 219, 220, 222, 223.
Suarez de Figueroa, 581.
Sudhoff, 574.
Sugai, 573.
—— & Monobe, 559, 566, 573.
Summers, 239.
Surveyor, 168.
Swan, 485.

T.

Tanon. *See* Mouneyrat & Tanon.
Tardieu. *See* Roux & Tardieu.
Taute, 513.
Taylor, 240.
Teague & Barber, 218.
——. *See* Barber & Teague; Strong, Crowell, & Teague; Strong & Teague.
Teichmann. *See* Braun & Teichmann.
Terrel. *See* Rosenberger & Terrel.
Thiroux, 82, 453, 532.
—— & Pelletier, 230.
Thiry, 697.
Thompson, 421.
Thomson (David), 19, 22.
—— & Simpson, 167.
Thomson (J. G.), McLellan, & Ross (Ronald), 374.
—— & Sinton, 53.
Tirumirti, 109.
Tizzoni, 304.
—— & De Angelis, 681.
Todd, 65.
—— (J.L.) & Wolbach, 146.
——. *See* Wolbach & Todd.
Trerotoli. *See* Schiavone & Trerotoli.
Turner, 712.
Tweedy, 285.

U.

Uhlenhuth & Emmerich, 677.
——, Mulzer, & Hügel, 627.
Uthemann, 312.

V.

Vallery-Radot. *See* Simond & Vallery-Radot.
Vallet & Rimbaud, 577.
Vandenbranden. *See* Rodhain, Pons, Vandenbranden, & Bequaert.
Van Loghem, 450.
Vedder, 175, 479, 484.
——. *See* Ashburn, Vedder, & Gentry.
Vélez, 80.
Verdun & Bruyant, 85.
Vervoort. *See* Schüffner & Vervoort.
Violle, 183.
Visentini, 9, 360, 370.
Vivien. *See* Sergent, Nègre, Bregéat, & Vivien.
Vix, 136.
de Vogel, 313.
Volpino, 694.
Vonwiller, 722.
Vorwerk, 51.

W.

Waldow, 18, 712.
Walker, 442.
Walsh, 179.
Waters, 650.
Webb, 649.
Webster. *See* Edie, Evans, Moore, Simpson, & Webster.
Weck. *See* Beck & Weck.
Weinberg, 702.
—— & Keilin, 442.
Wellman, 200.
——, Bass, & Eustis, 485.
Wellman & Johns, 91.
Wells, 466.
Wenyon, 12, 13, 15, 128, 366 (erratum), 372, 457.
—— & Hanschell, 276.
Werner, 16, 120, 494, 514.
——. *See* Mayer, Rocha-Lima, & Werner.
White, 380.
Whitmore, 588.
Williams. *See* Liston & Williams.
Wirth, 424.
Wise & Minett, 120, 197.
Wolbach, 473.
—— & Binger, 132.
—— & Todd, 231.
——. *See* Todd & Wolbach.
Woldert, 255.
Wood, 298, 679.
Woodcock, 264.
Wurtz & Sorel, 422.

Y.

Yakimoff, 265.
—— & Kohl-Yakimoff, 10.
——. *See* Beltzer, Kohl-Yakimoff, and Yakimoff.
Yofé, 494.
Yorke. *See* Kinghorn & Yorke; Kinghorn, Yorke, & Lloyd.

Z.

Zambaco, 575.
Zammit, 452.
Ziemann, 490, 648.
Zuccarelli, 81, 377.

INDEX OF SUBJECTS.

Amoebiasis. *See* **Dysentery** (Amoebic dysentery : Liver abscess).

Beriberi, 161–174, 477–487.
antineuritic bases of vegetable origin, 161, 162, 163, 165, 481, 483.
— — of animal origin, 481, 482.
contagion, 168.
epidemic on emigrant ship, 171.
— in a prison in Korea, 169.
etiology, 161, 168, 477, 479, 484, 485.
— of deficiency diseases, 161.
experimental study on beriberi, 164.
food theory, 161–163, 171–173, 477, 481–483.
incidence :
America, United States of, 485.
British East Africa, 487.
Brazil, 484.
Calcutta, 486.
Cochin China, 171.
Philippines, 166, 169, 477.
Korea, 169,
Tonkin, 170.
infantile, 166, 486.
limejuice, nitrogenous constituents, 482.
polyneuritis in birds : properties of certain food-stuffs against, 161, 162, 165, 172, 479, 480, 481.
prophylaxis, 172, 174.
purine-, and pyramidine-derivatives : action of, 483.
references to literature : lists of, 322–323, 592–593.
rice in causation, 171–173.
rice-bran, preventive substances from, 161, 162, 163.
rice grown in Louisiana, feeding experiments with, 485.
treatment, 167, 168, 172.
yeast, preventive substances from, 163, 165.

Blackwater Fever, 28–31, 254–258, 493–495.
anaphylaxis theory, 29.
cell-inclusions in, 29 (plate), 30, 258, 415, 494.
cholesterin in treatment, 494.
etiology, 256, 493.
glycerin in treatment, 494.
incidence :
Abyssinia, 255.
Ancon, 254.

Blackwater Fever—*cont.*
incidence—*cont.*
Burma, 254.
Nigeria, Northern, 31.
Nigeria, Southern, 493.
Nyasaland Protectorate, 31.
Palestine, 495.
Sierra Leone, 31.
microscopic findings in urine in 24 cases, 255.
pathology, 28.
prophylaxis, 494–495.
quinine in relation to, 29, 254, 256, 494.
references to literature, lists of, 323, 593.
treatment, 494, 495.

Cell Inclusions, 29 (plate), 30, 258, 415, 416, 494.
in blackwater fever, 29, 30, 258, 415, 494.
in various diseases, 415, 416.

Cholera, 205–216, 445–453, 704–709.
Bacillus proteus, choleraic diarrhoea caused by, 704.
blood, glycogen content of, 215.
blood-pressure, effect of salt solution infusions on, 213.
carriers, 448, 449.
— lizards as possible, 453.
cholera vibrios :
action of ultra-violet rays on, 708.
and allied vibrios, 450.
— isolated in Algiers, 450.
cultivation of,
— on Esch's media, 210.
— on coloured media, 210.
— in pancreatic solution, 210.
— comparison of various selective media, 208.
influence of water fauna on, 452.
isolated from sea water, 452.
metabolism of, 705.
morphology of, 216.
occurrence in biliary passages, 214.
relation to other faecal organisms, 449.
so-called mutation in, 705.
viability of, in contact with acids, 706,
— on fruit and vegetables, 215.
complement fixation in diagnosis, 211.

Cholera—*cont.*
diagnosis by growth of vibrios on selective media, 208–210, 446, 447.
foetuses of choleraic mothers, examination of, 707.
gastro-enteritis of infants and cholera, 211.
glycogen content of liver and blood, 215.
immunisation of guinea-pigs with nucleoproteid, 706.
incidence :
Algiers, 450.
Bengal, 206.
Bulgaria, 708.
Constantinople, 446.
Dutch East Indies, 707.
India, 449.
Italy (Apulia), 206.
Oran, 445.
Soembawa, 207.
Toulon, 205.
Tunis, 216, 445.
absence in Italy in 1912, 453.
cholera-like disease in Senegal, 453.
lizards as possible carriers, 453.
N'Diank, a cholera-like disease in Senegal, 453.
nitrite production in cholera, 451, 705.
nucleoproteid of cholera vibrios, 452.
— immunisation experiments with, 706.
paratyphoid complicated by cholera, 704.
prophylaxis, 708, 709.
reference to literature, lists of, 324–325, 593–594.
treatment, 212–213, 447, 709.
vaccination in Dutch East Indies, 707.

Dengue Fever, 240–245.
in Indo-China, 243.
dengue-form fever in India, 241.
references to literature, lists of, 325, 594–595.

Destruction of Biting Arthropods and Ticks, 531–535.
bed-bugs, destruction of, 533–534.
mosquito, destruction at St. Louis, 533.
— — by crésyl, 531.
— — by quinoline, 531.
— — by tobacco, 532.
references to literature, list of, 617.
ticks (*Ornithodoros moubata*), resistance to various sheep-dips, 535.

Dracontiasis. *See* **Filariasis** (Dracontiasis).

Dysentery (Amoebic dysentery, Bacillary dysentery, Flagellate dysentery, Liver abscess, Unclassed dysenteries), 175–189, 454–469, 710–724.

Amoebic dysentery, 175–183, 454–464, 710–715, 720–724.
Amoebae associated with *B. dysenteriae*, 187, 468.
— in vitro, action of ipecacuanha on, 175.
— — action of ipecac, phenol and salicylic acid on, 176.
— of the *terricola* group, 464.
— parasitic in man, and their relation to disease, 179, 463.
— structure of, 722.
amoebiasis in the insane, 456.
autochthonous amoebic dysentery in France, 454, 711.
brain, amoebic abscess of, complicating amoebic dysentery, 460.
cats, experimental infection of, 455, 457.
diagnosis :
by administration of an enema, 724.
by examination of stools for cysts of *E. tegragena*, 180.
by examination of stools for amoeba and occult blood, 178, 457.
by sigmoidoscope, 188, 723.
entamoebae in Tonkin, observations on, 181, 182.
— from the South Sea Islands, 180.
— rectal inoculation into kittens as aid to identification of pathogenic, 720.
Entamoeba butschlii, 180.
— *coli*, 179.
— *hartmanni*, 180.
— *histolytica*, aetiological significance of, 455.
— — chronic dysenteric colitis due to, 188.
— *limax*, 182.
— *pitheci*, 181.
— *phagocytoides*, 181, 182.
— *tetragena*, budding and other changes seen in, 720.
— — cysts of, 180, 462.
— — infection with, 722.
— *williamsi*, 180.
fistulous disease of buttocks, 456.
food supplies, faecal contamination of, 724.
histological examination of lesions of liver and intestine, 454.

Dysentery, &c.—*cont.*
Amoebic dysentery—*cont.*
incidence :
Brazil, 710.
France, 454, 469, 711, 714.
Hazaribagh Central Jail, 466.
India, 177, 466.
Indo-China, 720.
Panama, 180, 462.
Shanghai, 187.
South Sea Islands, 180.
Tonkin, 181.
incidence of amoebic abscess of brain in Egypt and elsewhere, 461.
references to literature, lists of, 321–322, 591, 592.
skin, amoebic abscess of the 182, 455, 710.
treatment of amoebic dysentery :
by appendicostomy, 187, 715, 723.
by bismuth subnitrate, 460.
by emetine salts, 176–179, 458, 713, 714.
by enemata of sugar solution, 459.
by ipecacuanha, 178, 179, 458, 459, 714.
by kho-sam, 454, 455.
by salvarsan, 712.
by uzara, 712.

Bacillary dysentery, 183–187, 465, 715–717, 723.
agglutinins in serum of dysentery patients, 183–184.
Bacillus dysenteriae associated with amoebae, 187, 468.
— — in vitro, action of ipecacuanha on, 175.
— — observations on, 465.
— — occurrence outside human body, 185.
carriers, 186.
cultivation of *B. dysenteriae*, inhibition of growth on malachite green agar, 183.
diagnosis :
by administration of an enema, 724.
by sigmoidoscope, 723.
epidemiology, contribution to study of, 185.
Flexner-like bacillus isolated from case of pseudo-sprue, 467.
incidence :
Cherbourg, 183.
Hazaribagh Central Jail, 466.
India, 177, 466.
Kieff, 184.
Piedmont, 717.
references to literature, lists of, 325–326, 595.
serum, antidysenteric, 717.
toxins of dysentery bacillus, 715.

Dysentery, &c.—*cont.*
Bacillary dysentery—*cont.*
treatment :
by appendicostomy, 187, 723.
by serum inoculation, 717.

Flagellate dysentery, 188–189, 469, 718, 720, 724.
Blastocystis hominis, 189.
Cercomonas hominis, 189, 718.
children, flagellate dysentery in, 718.
Fanapepea intestinalis, 189.
food supplies, faecal contamination of, 724.
incidence :
America (United States), 469.
Peru, 719.
Rio de Janeiro, 718.
Lamblia intestinalis, 718.
Macrostoma mesnili, 189.
Tetramitus mesnili, 188 (fig.), 189, 718, 719.
Trichomonas and Entamoeba, unity of, 181.
Trichomonas hominis, 469.
— *intestinalis*, 189, 719.

Liver abscess :
autochthonous liver abscess and dysentery in France, 469.
complicated by amoebic abscess of brain, 460.
— — amoebic abscess of skin, 182, 455, 710.
diagnosis by "flot transthoracique" sign, 711.
experimentally produced in cat, 458.
incidence :
France, 469.
India, 177, 178.
post-mortem examination of lesions of, 454.
recurrence after ten years, 712.
references to literature, lists of, 326, 595.
seemingly not due to amoebae, 711.
terminating with evacuation of pus through a bronchus, 712, 714.
treatment :
by emetine salts, 176, 458, 461, 713, 714.
by modification of Rogers's method, 461.

Unclassed dysentery, 187, 466, 720.
dysentery at Shanghai, 187.
— in Hazaribagh Central Jail, 466.
— in Indo-China, 720.
references to literature, lists of, 326, 595.
treatment of dysentery in asylums, 469.

Fevers, unclassed, 240–245.
cases of fever probably due to *B. asiaticus*, 242.
obscure forms of fever in North China, 243.
references to literature, list of, 326–327.
remarkable febrile disease in German South West Africa, 244.
seven-day fever in the Canal Zone, 244.
six-day fever in Samoan Islands, 244.
undiagnosed fevers in India, 240, 241.

Filariasis, 82–98, 417–425.
chyluria, pathology of, 89.
cultivation of filarial embryos, 91.
differentiation of *F. bancrofti* and *F. loa* (*diurna*), 417, (fig.), 418, 419.
erratum, 425.
Filaria loa infection, 85.
incidence of human filariasis :
French Equatorial Africa (Mbomu region), 419, 420.
French West Africa, 82–84, 417.
German South Sea Islands, 86.
Nigeria, Northern, 91.
Nigeria, Southern, 92.
Sierra Leone, 92.
life of filarial embryos outside the body, 420.
references to literature, lists of, 327, 595–596.
researches on filariae and their biology, 87–89, 417, (erratum), 425.

Dracontiasis, 96–98, 422–423.
cyclops destruction in wells by steam, 96, 97.
— — by caustic potash, 88.
incubation period of guinea worm, 422.
references to literature, lists of, 328, 596.

Elephantiasis, 92–94, 419–422.
incidence :
China, 421.
French Equatorial Africa (Mbomu region), 419.
Scotland (non-filarial), 94.
Senegal, 92.
pathology of elephantiasis of Mbomu region, French Equatorial Africa, 419, 420.
references to literature, lists of, 327, 596.
treatment :
lymphangioplasty, 92, 421 (diagram), 422.
operative treatment, 92, 93, 421, 422.

Filariasis—*cont.*
Filariasis in animals, 94–96, 423–425.
Acanthocheilonema Cobbold, 95.
camels, filariasis in, 425.
Dirofilaria immitis in Calcutta, 423.
— — morphology of, 95.
dog filariae, action of malpighian vessels of mosquitoes on, 88, 89.
— — mode of propagation of, 423, 424.
— — researches on, 89, 424.
filariae from animals in Annam, 95, 423.
— — — in Zoological Gardens, London, 94.
horses, filariae in, 424.
references to literature, lists of, 328, 596.

Gangosa. *See* **Miscellaneous.**

Guinea Worm. *See* **Filariasis** (Dracontiasis).

Heat Stroke, 583.
with mental symptoms, 583.

Helminthiasis, 94–111, 426–444, 695–703.
America (United States), intestinal parasites in, 100, 699.
anaphylaxis produced by products of parasites, 110.

Ankylostomiasis, 99–103, 431–436, 697–698.
anaemia of, 436.
Ancylostoma duodenale infection :
in Burma, 111.
in Grenada, 99.
in Guam, 440.
in Hong Kong, 439.
in Nyasaland, 432.
see also incidence of ankylostomiasis.
— — prevalence in oriental immigrants to America, 100.
diagnosis, 434, 697.
eosinophilia, absence in severe case, 107.
haemoglobin content of blood in 45 cases in Burma, 111.
incidence of ankylostomiasis :
America (United States), 100, 699.
Burma, 111.
Dutch Indies, 102.
German East Africa, 698.
Guam, 440.
Guiana, British, 435.
Guinea, French Upper, 432.

Helminthiasis—*cont.*

Ankylostomiasis—*cont.*
incidence of ankylostomiasis—*cont.*
Hong Kong, 439.
Indo China, 700.
Nyasaland, 431.
Sicily, 101.
Windward Islands, 99, 100.
mode of infection in German East Africa, 698.
Necator americanus infection :
in America, 100, 699.
in Guam, 440.
in Guinea, French Upper, 432.
in Nyasaland, 431.
see also incidence of ankylostomiasis.
— — infection showing absence of eosinophilia, 107.
— — prevalence in oriental immigrants in America, 100.
— — proportion of sexes in, 433.
pathology, 697.
prophylaxis, 435, 698.
sulphur miners in Sicily, prevalence in, 101.
syphilis complicated with, 101.
treatment :
by Areca catechu, 102.
by β naphthol, 100, 102.
by chenopodium oil, 700.
by Epsom salts and thymol, 434.
by eucalyptus and chloroform, 100, 102.
by Extractum filicis maris, 102.
by thymol, 99, 100, 102, 434.
by thymotal (thymol carbonate), 102.
anthelmintics : action on parasites outside the alimentary canal, 440.
— action in ankylostomiasis, 102, 700.
— method of estimating value of vermifuges, 700.

Ascariasis, 111, 437–438.
in Indo-China, 700.
Ascaris lumbricoides, experimental eosinophilia produced by extract of, 701.
— — in throat causing sudden death, 111.
— — infection :
in America, 699.
in Burma, 111.
in Grenada (Windward Islands), 99.
in Guam, 440.
in Hong Kong, 439.
in Madagascar, 438.
— — treatment with vermifuges, 102.

Helminthiasis—*cont.*

Ascariasis—*cont.*
Ascaris megalocephala, a disease of, 442.
Burma, intestinal parasites in, 110.
Clonorchis endemicus and *C. sinensis*. *See* Distomiasis.
Coenurus serialis, specific antibodies in serum of rabbit infected with, 443.
Costa Rica, intestinal parasites in, 699.
Dibothriocephalus latus, and gastric juice secretion, 107.
— infection in America, 699.

Distomiasis, 429–431.
Clonorchis endemicus, source of, 429.
Clonorchis sinensis in a European, 430.
— incidence in Hong Kong, 439.
Distomum spathulatum = (*Clonorchis endemicus*), source of, 429.
Opisthorchis sinensis infection in a European, 430.

Dracontiasis. *See* **Filariasis** (Dracontiasis).

Elephantiasis. *See* **Filariasis** (Dracontiasis).
eosinophilia, absence in chronic helminthic infections, 107, 109.
— experimentally produced by extract of *Ascaris lumbricoides*, 701.
erratum, 703.
Eurytrema brumpti, Raillet, Henry & Joyeux, n. sp. in monkeys, 442.

Filariasis. *See* **Filariasis.**
gapes in man, 441.
Guam, intestinal parasites in, 440.
Hong Kong, intestinal parasites in, 439.
hydatid cysts, 109, 110, 442.
Hymenolepis nana. *See* Taeniasis.
Indo-China (Thanh-hoa Province), intestinal parasites in, 699.
Katayama's disease. *See* Schistosomiasis.
Necator americanus. *See* Ankylostomiasis.
Opisthorchis sinensis. *See* Distomiasis.

Oxyuriasis, 439.
in Indo China, 439, 700.
Oxyuris vermicularis infection :
in America, 699.
in Burma, 111.
in Grenada (Windward Islands), 99.
in Guam, 440.
in Hong Kong, 439.

Helminthiasis—*cont.*

references to literature, lists of, 328–332, 596–599.

round worms. *See Ascaris lumbricoides.*

Schistosomiasis, 103–106, 426–429, 695.

appendicitis, perforating, due to schistosomiasis, 104.

"Arneth, image d'" in schistosomiasis, 103.

comparison of specimens of eggs of *Schistosoma haematobium* from Egypt and Tunis, 695.

embryos of *Schistosoma*, biological observations on, 427.

incidence:

Africa, geographical distribution in, 106.

Australia, 426.

Dakar, 106.

Egypt, 695.

French Guinea (Kouroussa), 105.

French West Africa (Dahomey and Casamance), 426.

Guadeloupe, 103.

Tunis, 103, 105, 106, 695.

Katayama disease, blood determination in, 695.

lesions in schistosomiasis, 428.

leucocytic formula and "image d'Arneth" in, 103, 106.

Schistosoma haematobium, life history of, 104.

— — comparison of eggs from Tunis and Egypt, 695.

— — varieties of, 695.

Schistosoma japonicum infection, blood examination in, 695.

— — and urticarial fever, disclaimer of priority of associating, 105.

symptoms of unusual severity in case of intestinal schistosomiasis at Guadeloupe, 104.

Syngamus trachealis, accidental infection of man, 441.

Strongyloides intestinalis. See *Strongyloides stercoralis.*

Strongyloides stercoralis infection in America, 699.

— — in Costa Rica, 699.

— — in Grenada (Windward Islands), 99.

— — in Guam, 440.

— — in iron miners of Lorraine, 697.

Taeniasis, 106–107, 443, 695–701.

Taenia confusa (?) infection in Grenada (Windward Islands), 99.

Helminthiasis—*cont.*

Taeniasis—*cont.*

Taenia (*Hymenolepis*) *nana* infection in America, 695 (fig.), 696, 699.

Taenia saginata infection in America, 699.

— — thymol treatment for, 107.

Taenia serialis, serum experiments, 443.

Taenia solium infection:

in America, 699.

in Burma, 111.

in Grenada (Windward Islands), 99.

in Hong Kong, 439.

teniotoxins, lesions caused in guinea-pigs by, 443.

tapeworm infection. *See* Taeniasis and *Dibothriocephalus latus* infection.

thread worm infection. *See Oxyuris vermicularis.*

toxins due to helminths, 443, 702, 703.

Tricocephaliasis:

treatment by the "latex d'Higueron" (*Ficus glabrata*), 436.

— in Indo-China (Thanh-hoa), 700.

Trichocephalus dispar. See *Trichuris trichiura.*

— *trichuris.* See *Trichuris trichiura.*

Trichuris trichiura infection:

in America, 699.

in Burma, 111.

in Costa Rica, 699.

in Grenada, 99.

in Guam, 440.

in Hong Kong, 439.

in Uganda, 108, 109.

Watsonius watsoni found in a *Cercopithecus callitrichus*, 442.

Kala Azar (and Tropical Sore), 1–15, 357–372, 632–643.

anaemia, leishmanial, 363.

blastomycetes in relation to leishmania, 642.

blood examination in kala azar, 4, 363, 635.

bugs as hosts of leishmania, 1, 2, 3, 366, 367, 369.

canine kala azar, 10, 11, 368.

in Hydra, 637.

in Sicily, 11.

in Tunis, 637.

inoculation into dogs and monkeys, 10, 11.

relation to infantile kala azar, 632.

transmission by fleas, 368.

Kala Azar, &c.—*cont.*

cats, attempts to infect with *L. infantum*, 365, 636.
Cimex lectularius, development of leishmania in, 2, 367, 369.
— *rotundatus*, development of leishmania in, 1, 2.
Conorhinus rubrofasciatus, non-development of *L. donovani* in, 3.
cultivation experiments with *L. donovani*, 8, 364.
— — with *L. infantum*, 362, 364.
cultures of *L. infantum*, virulence of, 365.
development of leishmania in bugs, 1, 2, 3, 366, 367, 369.
— — in fleas, 366, 367, 368, 369.
— — in mosquitoes, 9, 366, 370.
diagnosis by blood examination, 4, 363, 635.
— by serum reaction, 362.
dog inoculation with canine kala azar, 10.
— — — *L. donovani*, 4.
— — — *L. infantum*, 10, 363, 365.
dogs, kala azar in. *See* canine kala azar.
fleas as hosts of leishmania, 1, 366, 367, 369.
— transmission of leishmania by, 368, 369.
guinea-pigs, action of leucocytes of, on *L. donovani*, 364.
— experimental infection with *L. infantum*, 636.
— immunity to cultures of *L. infantum*, 9, 365, 370.
identity of the leishmaniae, 365, 369, 632, 637, 638.
immunisation experiments against *L. infantum*, 362, 363.
immunity, natural, of guinea-pig and rabbit to cultures of *L. infantum*, 9, 365, 370.
incidence of kala azar:
Greece, 4, 5, 634, 642.
India, 1, 357, 359.
Italy, 5, 361, 362, 635.
Paraguay, 635.
Russia, 365.
Sicily, 5, 361, 635.
Sudan, 3, 4.
Turkestan, 8.
Indian Kala azar, 1, 357, 358, 359.
infantile kala azar. *See* Mediterranean kala azar.
inoculation experiments with canine kala azar, 10, 11.
— — with *L. donovani*, 3, 4, 10, 358, 359.
— — with *L. infantum*, 10, 359, 362, 365, 370.
insect flagellates mistaken for leishmania, 357, 367, 368.

Kala Azar, &c.—*cont.*

jackal, inoculation with *L. infantum*, 365.
leishmaniae, identity of the, 365, 369, 632, 637, 638.
— transmission of, from dog to dog by fleas, 368.
Leishmania donovani:
action of leucocytes on, 364.
cultivation experiments, 8, 364.
development in bugs, 1, 2, 3.
inoculation into dog, 4.
— — monkey, 3, 358.
— — mouse, 359.
— — rabbit, 10.
— — white rat, 3.
inoculation experiments with cultures of, 3, 10, 358.
insect flagellate and the problem of transmission of, 357.
Leishmania infantum:
absence from human organs after death, 4, 362.
cultivation experiments, 362, 364.
development in mosquitoes, 9, 370.
experimental infection of bugs with, 369.
immunisation experiments, 362, 362.
immunity in rats and guinea-pigs to culture of, 9, 370.
infection in adults, 8, 362.
inoculation into cats, 365, 636.
— dog, 10, 363, 365.
— guinea-pig, 636.
— jackal, 365.
— mice, 10, 359.
— rabbit, 636.
inoculation experiments with cultures of, 9, 365, 370.
leucocytes of guinea-pigs and rabbits, action on *L. donovani*, 364.
leucocytic formula in Mediterranean kala azar, 362, 363.
Mediterranean kala azar, 4–10, 359–365, 632, 633.
— history of, 633.
— in adults, 8, 362.
mice, inoculation with *L. infantum*, 10, 359.
monkey, inoculation with canine kala azar, 11.
— — with *L. donovani*, 3, 358.
morphology of, 360, 361.
mosquitoes, development of leishmania in, 9, 370, 634.
prognosis of Mediterranean kala azar, 5.
rabbit, action of leucocytes of, on *L. donovani*, 364.
— inoculation with *L. donovani*, 364.

Kala Azar, &c.—*cont.*
rabbit, inoculation with *L. infantum*, 636.
rat, inoculation with *L. donovani*, 3.
recovery, spontaneous, in Mediterranean kala azar, 5, 7, 369.
references to literature, lists of, 332–334, 599–600.
relation of kala azar to tropical sore, 632, 638.
serum, agglutinating power for cultural forms of human and canine kala azar, 637.
— in infantile kala azar, agglutinating power against other pathogenic agents, 8.
— diagnosis, attempts at, in kala azar, 6, 362, 363.
splenectomy performed on dogs, 363.
splenomegaly, non-leishmanial in Greece, 8.
— — in Russia, 365.
Sudan kala azar, experimental investigation into, 3.
symptoms in case of kala azar at Paraguay, 635.
transmission, insect flagellates and the problem of, 357.
transmission of leishmania by fleas, 368, 369.
— experiment with dog subjected to splenectomy, 363.
— see also *Leishmania donovani* and *Leishmania infantum*.
treatment of kala azar :
by salvarsan, 6, 635.
by vaccine of killed cultures, 7, 362.
virulence of cultures of, 365.

Tropical Sore, 11–15, 370–372, 638–642.
American tropical sore, 11–14, 639.
— — — case of in Italy, 641.
Buba in Paraguay, 639.
bugs, experiments to infect with *L. tropica*, 367.
cultivation, 641.
dogs, inoculation experiments, 14, 641.
erratum, 372.
Espundia in Peru, 13.
flagellate forms of *L. tropica* found in man, 370.
fleas, experiments to infect with *L. tropica*, 367.
giant-cells in case of American tropical sore, 642.
guinea-pigs, inoculation experiments on, 641.

Kala Azar, &c.—*cont.*
Tropical sore—*cont.*
incidence :
America (South), 11, 12, 13, 14, 639.
Brazil, 11, 12, 14.
India, 639.
Italy, 538, 641, 370, 638, 641.
Paraguay, 639.
Persia, 15.
Peru, 13.
Russia, 372.
Sicily, 638.
Yucatan, 13.
India, oro-pharyngeal leishmaniasis in, 639.
inoculation experiments with *L. tropica*, 14, 15, 371, 641.
— — on man, 15.
kala azar, relation to tropical sore, 632, 638.
man, successful inoculation with *L. tropica*, 15.
monkey, inoculation experiments on, 14, 371, 638.
morphology of *L. tropica*, 371.
— of parasite of S. American tropical sore, 12, 13, 14, 371, 641.
rat, inoculation experiments on, 15.
references to literature, 334–335, 600.
résumé of present knowledge of tropical sore, 632.
tick as possible transmitter of Buba in Paraguay, 640.
treatment of tropical sore :
by cauterisation, 640.
by hectine with salvarsan orsudan or soamin, 640.
by iodide of potassium and arsenic, 640.
by methylene blue ointment, 14.
by salvarsan, 372, 640.
by vaccine of killed cultures, 14, 362.

Leprosy, 190–204, 558–575.
abortive leprosy in New Caledonia, 191.
acromegaly and gigantism associated with leprosy, 561.
bacteriolysis in differentiation of lepra bacilli, 571, 572.
blood in leprosy, 573.
contagiousness of leprosy, 193, 561.
cultivation of lepra bacilli, 194–196, 569–571.
— new medium for, 571.
cultures : comparative study of various, 195, 196, 568–570.

Leprosy—*cont.*
diagnosis of leprosy :
demonstration of lepra bacilli in the skin, 560.
intradermal reaction to extract of cultures, 560.
differential diagnosis of leprosy and tuberculosis, 203.
differentiation of lepra bacilli by bacteriolysis, 571, 572.
fish-food and leprosy, 573, 574.
immunity in leprosy, 200.
incidence :
Ancient Egypt, 575.
Frankfurt in mediaeval times, 574.
French Upper Guinea, 560.
India, 564.
Indo-China, 561, 574.
Ivory Coast, 561.
Japan, 564.
New Caledonia, 191, 565.
Paraguay, 193.
Siberia, 574.
inoculation of monkeys with lepra bacilli, 194.
— rabbits with lepra bacilli, 567.
lepra bacilli in circulating blood of patients and in heart blood of a lepra foetus, 565.
— — in faeces, 194, 567.
— — in lymphatic glands in apparently healthy persons, 191, 559.
— — in milk of lepers, 566.
— — in urine, 566.
— — in vaccine pustule, 192.
— — isolated by Kedrowski, 571.
lice, acid-fast bacilli in, 190.
placenta : histological observations on, in cases of leprosy, 573.
prophylaxis, 574.
rat leprosy, 201, 202, 572.
streptothrix isolated from leper's spleen, 194.
symptoms, clinical, in leprosy, 561.
— temporary remission of, in leprosy, 565.
transmission of leprosy :
by bed-bugs, lice, and fleas, 190, 559.
by mosquitoes, 190, 558.
by *Musca domestica*, 558.
by variolisation and vaccination, 192.
hereditary, 193, 559, 566.
through the faeces, 194.
to monkeys by inoculation with cultures, 194.
to rabbits by inoculation, 567.
treatment of leprosy :
by baths in Japan, 564.
by benzol chloride, 563.
by carbolic acid, 198.
by leproline, 561, 564.

Leprosy—*cont.*
treatment of leprosy—*cont.*
by nastin, 197, 563.
by salvarsan, 199, 200, 562.
by vaccine, 198, 199.
visceral leprosy, 573.
Wassermann reaction, influence of salvarsan treatment on, in lepers, 199, 561.

Malaria, 16–27, 115–123, 373–383, 488–492, 644–653.
agriculture in relation to malaria, 374.
Alabama, malaria in, 488.
anaphylaxis in rabbit and guinea-pig induced by quinine and bromide salts, 491.
Andamans, malaria in the, 373.
animal reservoirs, can mosquitoes acquire infection from? 16, 123.
animals, malaria in, 16, 26, 27.
anophelines. *See* mosquitoes.
apyrexial malaria, 646.
Bengal, malaria in, 644.
birds, malaria in, 16, 27.
— immunity in, 27.
blood in malaria, 17, 21, 22, 378, 382, 491, 647.
— — after splenectomy, 378.
bromine salts, anaphylaxis in rabbits and guinea-pigs produced by, 491.
carbolic acid as larvicide, 120.
carbon dioxide and malaria, 653.
Ceratopogon parasitic on mosquitoes, 118.
cerebellar symptoms in malaria, 25, 488.
Chota-Nagpur, malaria in, 116, 645.
Coccus found in blood of malarial patient, 492.
crescents, destruction of, 19, 22.
cultivation of malarial plasmodia, 22, 23, 123, 374, 375, 376, 489–490, 648.
diagnosis of malaria, Urriola's test in, 118.
drunkenness, malarial coma mistaken for, 123.
Dutch Indies, malaria in, 1895–1909, 24.
England, malaria contracted in, 122.
etiology of intermittent fevers, 26.
— of malaria, 26.
farmhouses, &c., antimalarial measures for, 379.
fish, larvæ-eating species of, 117, 118.
haemolysis in malarial fever, 21, 378, 382, 491.

Malaria—*cont.*

heat-stroke, malarial coma simulating, 381.
Hyderabad, malaria prophylaxis in, 119.
immunity in bird malaria, 27.
incidence of malaria :
Africa, North, 380.
America, United States of, 380, 381, 488.
Andaman Islands, 373.
Dutch Indies, 24.
England, 122.
India, 115, 119, 488, 644.
Italy, 20, 122, 123, 374.
Jamaica, 645.
Jerusalem, 122.
Jamaica, report of malaria commission, 645.
Jeypore Hill Tract, malaria and mosquitoes in, 115.
leucocyte formula in malaria, 17, 22.
Malaya, mosquitoes in, 117.
meteorology of malaria, 382.
methylene blue, destruction of crescents by, 19.
monkeys, malaria in, 26.
morbid anatomy in pernicious malaria, 121.
mosquito larvæ and indigenous fish in Bengal, 117, 118.
mosquitoes as transmitters of bird malaria, 27.
— bionomics and breeding places in St. Lucia, 651.
— can they acquire infection from animal reservoirs ? 16, 123.
— ceratopogon parasitic upon, 118.
— destruction of, 18, 118, 119, 120, 379, 651, 652.
— dissection of, 117.
— distinction of sex in larvae and pupae, 117, 383.
— examination of, in India, 115–118.
— found in the Andamans, 373.
— — Bengal, 644.
— — Jerusalem, 122.
— — Jeypore Hill Tract, 115.
— — Malaya, 117.
— — Quetta, 115.
— — St. Lucia, 651.
— — Saipan, 123.
— seasonal prevalence of, 117, 120.
nervous system in pernicious malaria, 121.
operations and trauma, influence on malarial attacks, 25.
Plasmodium in a monkey, 26.
— of malaria, extracellular relation to red corpuscle, 647.

Malaria—*cont.*

Plasmodium of malaria, teleological theory of its asymbiotic relations to its hosts, 653.
Plasmodium falciparum, cultivation of, 23, 374, 376, 490.
— — morphology of, in cultures, 375.
— *malariae*, cultivation of, 490.
— *praecox*, 27.
— *relictum*, 27.
— *vivax*, cultivation of, 23.
pregnancy, sub-tertian malarial fever complicating, 489.
prophylaxis in malaria, 18, 19, 20, 21, 118, 119, 122, 123, 379, 380, 651, 652.
pulmonary symptoms in malaria, 648.
Quetta, mosquitoes found in, 115.
quinine, anaphylaxis in rabbits and guinea-pigs produced by salts of, 491.
— comparative experiments on the mode of administration of, 649.
— destruction of crescents by, 19.
— injections and tetanus, 26.
— prophylaxis, 18, 19, 20, 119, 122.
see also treatment.
recurrences in malaria, causes of, 381.
references to literature, lists of, 339–341, 602–604.
relapses in malaria, pathogenesis of, 646.
review, 492.
Saipan, mosquitoes found in, 123.
serum, haemolytic properties in malaria, 378, 382.
splenectomy in treatment of chronic malaria with cachexia, 378.
symptoms of malaria :
apoplectic, 489.
cachexia, 378.
cerebellar, 25, 488.
cerebral symptoms simulating drunkenness, 123.
— — simulating heat-stroke, 381.
Kernig's sign, 377.
meningitis complicating malaria, 377.
nervous system, changes in, 121, 488.
neuralgic symptoms of the extremities, 376.
pulmonary, 648.
tetanus and quinine injections, 26.
transmission experiments, 16, 27.
trauma and operations, influence on malarial attacks, 25.

Malaria—*cont.*
treatment of malaria :
amorphous cinchona alkaloid, 650.
hectine, 648.
neosalvarsan, 120.
quinine, 17, 18, 19, 119.
salvarsan, 16, 17, 377, 378, 650.
splenectomy, 378.
Urriola's test for malarial infection, 118.
vertebrata and malaria, 16, 123.

Malta Fever. *See* **Undulant Fever.**

Miscellaneous, 112–114, 472–476, 584–588.
blood, so-called X bodies in, 114.
bubo, climatic, 474.
Egyptian splenomegaly, 112.
filterable viruses, 473.
Gangosa, 472.
maculae, pigmented, on the body, 476.
Madagascar, disease in, 586.
Northern Territory (Australia), health and disease in, 586.
pulmonary blastomycosis, 476.
Rangoon, bacteriology of an infectious disease in, 588.
splenomegaly in Italy, 114.
Tripoli, tropical diseases in, 584.
Wassermann test in the tropics, 475.

Myiasis, 470–471.
external myiasis in a monkey, 471.
screwworm disease (*Chrysomyia macellaria* infection), 470.

Pappataci, Phlebotomus, or Sandfly Fever, 235–240.
Africa, German East, 239.
Algeria, phlebotomi in, 239.
America, South, new species of phlebotomus from, 239.
bibliography, where found, 238.
Corsica, prevalence in, 238.
Cyprus, prevalence in, 236.
Daressalam, prevalence in, 237.
diagnosis, errors of, 235.
Egypt, prevalence in, 236.
evacuation of barracks, 237.
France, South of, phlebotomus found in, 239.
Forli, prevalence in, 237.
Hong Kong, prevalence in, 236.
India, prevalence in, 235–237.
Italy, prevalence in, 237.
Jaffa, prevalence in, 237.
Jerusalem, prevalence in, 237.
larvae of phlebotomus, where found, 236.

Pappataci, &c.—*cont.*
leucopenia in sandfly fever, 237.
Malta, prevalence in, 236.
Peshawar, prevalence in, 236.
Peking, prevalence in, 236.
phlebotomus, bite of one, may infect, 236.
— difficulty of discovering, 236.
— distribution of, 239.
— prevention of bites of, 237.
— seasonal prevalence of, 236, 239.
— survival in captivity, 236.
Phlebotomus babu, 236.
— *malabaricus*, 239.
— *minutus*, 236.
— *molestus*, 236.
— *nigerrimus*, 239.
— *papatasii*, 235, 236, 238, 239.
— *perniciosus*, 239.
— *rostrans*, 240.
pyrexia of uncertain origin, 235, 236.
references to literature, lists of, 341, 604.
sandfly fever in India, 235, 236.
Sicily, 238.
seasonal prevalence of fever, 235–237.
summer influenza, 235.
symptoms of sandfly fever, 237.
Tientsin, prevalence at, 236.
Tunis, phlebotomus found in, 239.

Pellagra, 293–307, 679–694.
alcoholism and pellagra, 692, 693.
blood counts in pellagra cases, 296, 682.
blood, immunity reaction, 304.
chichismo (Josue Gomez's disease) in Colombia, 693.
children, pellagra in, 298, 679.
Columbia, S. C., report of meeting of Association for the Study of Pellagra at, 307.
diagnosis, 296, 303–306, 680.
— of pellagra-typhoid, 685.
Diplodia zeae, effect on maize of, 694.
etiology, 294, 295, 296, 300, 301, 304, 681–682, 687, 689.
Illinois Pellagra Commission, reports, 300–301, 691–692.
incidence of pellagra :
Algiers, 688.
America, United States of, 293, 299, 302, 680–684, 686.
Alabama, 298.
Carolina, South, 302, 686.
Georgia, 293, 684, 686.
Illinois, 300, 691.
Kentucky, 686.
Massachusetts, 302, 684.
New England, 302.

Pellagra—*cont.*
incidence of pellagra—*cont.*
New York State, 683.
Rhode Island, 682.
British Isles, 688.
Colombia, Republic of, 693.
Hawaii, 303.
Italy, 296, 302, 692.
St. Lucia (West Indies), 294, 295.
Singapore, 295.
maize, effect of *Diplodia zeae* on, 694.
— hypersensitiveness of pellagrins to, 305, 686, 694.
— in causation of pellagra, 294, 295, 296, 301, 303, 304, 687, 693, 694.
Nicolaidi's "organo-mineralized radio-activated serum" in treatment, 306.
pellagra, history, distribution, diagnosis, prognosis, treatment, etiology (review), 293.
"pellagra, *sine* pellagrâ," 293, 298.
pellagra-typhoid, 685.
pellagrins, a family of, 691.
pellagroid syndrome in three lunatics in Spain, 686.
— — due to alcoholism, 692.
post-mortem examinations, 294–295, 300, 301, 680, 681–682.
prognosis, 293.
references to literature, lists of, 341–343, 605.
"sandfly protozoon" *versus* "zeist" theory, 295.
serum of pellagrins, fluorescent substances in, 305.
— tests in pellagra, 301, 304, 305, 682.
— treatment (Nicolaidi's), 306.
simulium in causation of pellagra, 295, 296, 301, 687, 689.
streptobacillus of pellagra, 304, 679, 681.
symptoms, 293, 297, 300, 303, 683, 684, 692.
central neuritis, 683, 692.
facial phenomenon (Chvostek's symptom), 297.
general paresis, 297.
nervous manifestations, 293, 297, 683, 684, 692.
skin lesions, 300, 679, 682, 684.
— of pellagra-typhoid, 685.
treatise on pellagra (review), 679.
treatment, 293–294, 306, 689–691.
Nicolaidi's "organo-mineralized radio-activated serum" in, 306.
relative value of sodium arsanilate and salvarsan in, 690.
tropical pellagra, 294.
typhoid complex in pellagra, 685.
"zeist" theory *versus* "sandfly protozoon" theory, 295.

Plague, 59–73, 217–226, 308–320, 537–557.
abdominal plague, 315.
accidental inoculation, 549.
agar, salt-, for identification of *B. pestis*, 73, 556.
agglutinative properties of various cultures, 221, 547, 598.
amboceptor in normal horse serum, 544.
anaphylaxis after anti-pest serum, 316.
animals, experimental infection with one bacillus, 224.
— susceptibility to pneumonic plague, 222.
antigen and nucleoprotein of *B. pestis*, 543.
anti-plague serum, 61, 63, 65, 312, 315, 543, 552.
antitoxin, plague, concentration of, 547.
— — preparation of, 546, 547.
— — therapeutic effects of, 543.
Astrachan, plague in, 549.
attenuated living vaccine, 66, 223–225, 318.
Bacillus pestis, agglutination of, 221, 547, 548.
— — bi-polar staining absent, 73, 555.
— — cultural characteristics, 73, 220.
— — effects of drying, 218, 219.
— — emulsions, preparation of, 221, 548.
— — influence of humidity, 218.
— — influence of light on, 311.
— — influence of temperature, 218.
— — Manchurian pneumonic, 220.
— — Manchurian pneumonic, virulence, 222.
— — number necessary to infect, 225, 312.
— — vitality in cadavers, 64, 70, 555.
— *pseudo-tuberculosis rodentium*, 544, 555.
— — — as vaccine, 545.
bacteria causing plague-like diseases, 555, 556.
bacteriology of pneumonic plague, 220.
bandicoots susceptible to plague, 539.
Besredka's vaccine, 544.
bi-polar staining of putrefactive bacteria, 555.
Bombay Bacteriological Report, 59.
— statistics of plague, 537, 538.
breeding rats in captivity, 61.
bubo, site of, in rats, 539, 541.

Plague—*cont.*
buboes, cultures of pus, 539.
— pus of, sometimes sterile, 540.
bugs and bubonic plague, 64, 70.
— conveyers of plague to rats, 71.
— destruction of, 71.
— life-history, 71.
— multiplication of *B. pestis* in, 64.
camels and plague, 549.
carbon disulphide for the destruction of ground squirrels, 70.
Ceratophyllus fasciatus, 551.
chronic plague, 539.
— — experimental, 540, 545.
climate and plague, 62, 319.
concentration of antipest serum, 547.
Ctenopsylla musculi, 551.
Ctenopthalmus agyrtes, 551.
Danysz bacillus, 71, 72, 555.
degree of septicaemia and plague transmission, 541.
diagnosis of plague, 550.
— — pneumonic plague, 220, 221, 309.
— — rat plague, 555.
dogs as hosts of rat-fleas, 63.
donkeys, plague in, 71.
dose of *B. pestis* necessary to infect, 224, 312.
droplet infection in pneumonic plague, 64, 67, 217, 218, 311.
eggs, flea-, experiments on, 541, 542.
endotoxin influence on cultures, 546.
England, plague in, 549.
epidemiology. *See* incidence.
epizootics among rats, experimental, 541.
Fermi and Bandi's vaccine, 65.
fleas, destruction of, 62, 67.
— hibernation of, 67.
— infesting rats, number of, 537.
— infesting rats, number of, and plague, 541, 552.
— length of developmental stages, 67
— length of life apart from host, 66, 67.
— observations on breeding, 541–543.
— prevention against, 63, 67.
— survival in merchandize, 542.
— survival without food, 67, 542.
— transmitters of plague, 550–552.
— which attack man, 551, 552.
Gärtner's bacillus in rats, 556.
German Plague Commission vaccine, 65.
ground-squirrels as plague reservoirs, 69.

Plague—*cont.*
ground-squirrels, breeding season of, 68.
— — destruction of, 69, 70
Grosboisine rat poison, 315.
guinea-pigs for testing the infectivity of houses, 315, 553.
Haffkine's prophylactic, 65, 223, 318, 319.
Havana, plague in, 313, 314, 548.
hereditary transmission of immunity in rats, 61.
history of plague epidemics, 319, 320.
human experiments with living attenuated *B. pestis*, 66.
immunization against plague, 65, 66.
— of guinea-pigs against pneumonic plague, 223, 224, 317, 318.
immunity, duration of after inoculation, 61, 546.
— hereditary transmission of, 61.
— mechanism of, 545.
— of animals after vaccination 223, 224.
— of wild rats in India, 61, 538.
— onset of, 61, 546.
incidence of plague during 1912 (table), 557.
— — in Algiers, 314.
— — in America, 72.
— — in Astrakhan, 549.
— — in Brazil, 315.
— — in China, 63.
— — in England, 71, 549.
— — in Havana, 313, 314, 548.
— — in India, 59, 537–547.
— — in Japan, 62.
— — in Java, 62, 312, 313, 317.
— — in Manchuria, 63, 64, 71, 217–226, 308–311 (map).
— — on board ship, 62.
— — in Russia, 63.
— — in Siam, 62, 63.
incubation period, 67, 550.
— — of pneumonic plague, 67, 220.
India, seventh report on plague, 537–547.
inoculation, methods of, 65.
— statistics, 59, 62, 65, 66, 223, 312, 317.
— with living cultures, 66, 223, 224, 318.
iritis in plague, 550.
Java, plague in, 62, 312, 313, 317.
laboratory infection, fatal, 549.
— workers protected by inoculation, 66.
larvae, flea-, observations and experiments on, 542.
Loemopsylla cheopis. See *Xenopsylla cheopis.*

Plague—*cont.*
Lustig and Galeotti's vaccine, 65.
Madras City, plague in, 537.
Manchurian epidemic, 63, 64, 71 217–226, 308–311 (map).
marmot, 64, 311.
— plague in hibernating, 64, 68.
masks, face, 65, 67, 225, 226, 310, 315.
mice, experimental plague in, 550.
— for standardizing anti-serum, 66.
migration of rodents, prevention of, 555.
Mus alexandrinus, 538.
— *decumanus*, 537.
— — plague in, 537–539.
— *rattus*, 537.
— — plague in 537–539.
nucleoprotein of *B. pestis*, 317.
— — harmless to guinea-pigs, 544.
— of *B. pseudo-tuberculosis rodentium*, 544.
— — harmless, 544.
opsonic index after vaccination, 318, 319, 546.
opsonin in immune plague serum, 544.
pathology of pneumonic plague, 221.
plague bacillus. *See B. pestis.*
plague-like organisms from rat, 555, 556.
pneumonic plague always fatal, 220.
— — clinical symptoms, 220.
— — dissemination by droplets of sputum, 64, 67, 217, 311.
— — in Algiers, 314.
— — in Avignon, 320.
— — in domestic animals, 65.
— — in India, 219.
— — in Java, 312.
— — induced by spraying, 219.
— — induced by inoculation, 219, 223, 317.
— — origin and spread of, 63.
— — post-mortem appearances, 221.
— — prevention, 218.
— — protection against. *See also* masks, 226.
— — sputum, 220, 221.
— — studies in, 217–226.
post-mortem appearances of a Gärtner infection, 556.
prognosis and degree of septicaemia, 543.
prophylactic, Haffkine's, 65, 223, 318, 319.
— injections of antipest serum, 63, 65, 313.
prophylaxis of plague, 62, 63, 218, 312.

Plague—*cont.*
prophylaxis of plague, destruction of rodents, 69, 313–315, 553–555.
— — destruction of fleas, 67.
— — face masks. *See* masks.
— — serum or vaccine, 59, 64, 65, 67, 223, 310.
pseudotubercle and plague, 544.
Pulex irritans and plague, 552.
putrefied bodies, examination of, 555, 556.
quarantine, 310, 311, 314, 315.
rabbit, infected, causes plague, 550.
rat mortality and plague, 62, 313, 314, 538.
rat-plague, absence of, in Manchuria, 311.
— — bacteriological diagnosis, 555, 556.
— — in Suffolk, 71, 549.
— — post-mortem appearances of, 72.
rat poisons, 69, 72, 315, 554, 555.
rat-proofing, 62, 69, 313, 553, 555.
rats, bionomics of, 68, 554.
— depth of burrowing, 554.
— destruction of, 69, 71, 313–315, 553–555.
— distance of swimming, 554.
— distribution of white-bellied, 538.
— experimental plague epizootics, 541.
— experimental production of resolving plague, 540.
— food of, 68, 554.
— laboratory examination of, 72.
— natural immunity of, 61.
— rate of increase, 61.
— relation to human plague, 313, 537, 538.
— their habits in relation to plague prevention, 554.
— time of survival under starvation, 68.
references to literature, 343–345, 605–607.
resolving plague in India, 539.
— — experimental, 540.
rodents, extermination of, 69, 555.
salt-agar for identification of *B. pestis*, 73, 556.
salvarsan in plague, 316.
seasonal prevalence of plague, 319, 320.
septicaemia, plague transmission, degree of, 541.
serum agglutination in pneumonic plague, 221.
— antiplague, prophylactic injections, 63, 65, 313.
— antitoxic preparation of, 546.
— treatment, 61, 63, 65, 312, 315, 543, 552.

Plague—*cont.*
Shiga and Besredka's vaccine, 66.
Siam, plague in, 62.
skin inoculation of guinea-pigs, 70, 73, 556.
— — marmots, 222.
spermophile, plague in, 68.
Strong's vaccine, 66.
statistics, plague, avoidance of errors, 60.
— — prison, great value of, 60.
— — rats and man, 537, 538.
Suffolk, plague at Shotley, 549.
— rat plague, 71, 550.
symptoms of bubonic plague, 550.
— of pneumonic plague, 220.
sulphur fumigation for destruction of rodents, 314.
tarabagan and plague, 63, 64, 68, 222.
— as plague reservoir, 68.
— fleas on, 223.
toxin, plague, preparation of, 546.
treatment of plague by salvarsan, 316.
— — by serum, 61, 63, 65, 312, 315, 543, 552.
— — suggested use of formalin, 316.
uninoculated, plague incidence in, 60.
vaccination of animals, 223, 317, 318, 548.
vaccine, Besredka's, 66, 544.
— Fermi and Bandi's, 65.
— German Plague Commission, 65.
— Haffkine's, 65, 318.
— Lustig and Galeotti's, 65.
— mitigation of by storage, 61.
— nucleoprotein, 319.
— preparation of, 61, 65.
— Strong's living, 66, 223–225, 318.
vitality of *B. pestis* in decomposed tissues, 70.
— — on agar, 70.
wild rats, immunity of in various parts of India, 61, 538.
Xenopsylla cheopis, 313, 551.
— — season of breeding, 314, 319, 541, 542.

Porocephaliasis, 405–406.

Protozoology (excluding pathogenic Trypanosomes and Amoebae), 146–160, 259–265, 496–501.
bees, disease due to microsporidia in, 156.
Bodo Ehrbg., revision of the genus, 158.
Bodo urinarius, 158.

Protozoology, &c.—*cont.*
Brazil, blood parasites of lizards from, 149.
— haemogregarine of snake from, 263.
chimpanzee, infusorian parasite of, 261.
Coccidia, nuclear condition in, compared with that in haemogregarines, 264.
Crithidia cleti, 152.
— *melophagia*, 149, 150.
Cryptobia (= *Trypanoplasma*) *intestinalis*, synonyms of, 496.
Cytamoeba bacterifera, 498.
Dactylosoma splendens, 498.
dog, leucocytozoon of, in Upper Senegal and Niger, 155.
Drymobius bifossatus Raddi, haemogregarine of, 263.
fishes, trypanosomes of, 265.
flagellates, synonymy of certain, 158.
— in certain hemiptera in Uganda, 151.
frog, blood protista of, and their transmission, 497, 498.
Gambia, parasitic protozoa from the, 146.
gregarine of bird-fleas, 499.
Haemogregarina ameivae, 149.
— *chattoni*, 155.
— *drymobii*, 263.
— *simondi*, "infective granule" as phase of, 264.
— *terzii*, 500.
haemogregarine, "infective granule" in life history of a, 264.
— in *Drymobius bifossatus*, 263.
haemogregarines from Sumatra, 148.
— nuclear condition in, compared with that in certain coccidia, 264.
— of lizards, 264, 500.
Herpetomonas pediculi, occurrence and distribution of, 154.
hyaena, leucocytozoon of, in Upper Senegal and Niger, 155.
infective granule in life history of a haemogregarine, 264.
infusorian parasite of the chimpanzee, 261, fig. 262.
Karyolysus lacertae, observations on, 264, 500.
Kurloff's bodies, possible protozoal nature of, 160, 262.
Lankesterella minima, 498.
Leptomonas, discussion of the genus, 152.
— of muscidae, 498, 499.
— *legerorum*, 498.
— *pangoniae*, 154.
— *roubaudi*, 499.

Protozoology, &c.—*cont.*
Leucocytogregarina musculi, 155.
— *neophrontis*, 146.
leucocytozoa in dog and hyaena, 155.
lizards, blood parasites of, in Brazil, 149.
— haemogregarines of, 264, 500.
microsporidia of *Musca domestica*, 157.
microsporidiosis in bees, 156.
Musca domestica, flagellates of, 153.
— microsporidia of, 157.
muscidae, some *Leptomonas* of, 498, 499.
Myxosporidia in gall-bladder of fishes, 501.
Nosema apis, 156.
pigeon, new blood parasite of, 159.
Plasmodium columbae, 160.
— *minasense*, 149.
protozoa from Sumatra, 148.
— introduction to the study of the (review), 259.
— question of synonymy in, 496.
Prowazekia, the genus, 158.
Prowazekia urinaria, study of, 158.
references to literature, lists of, 345–346, 617–618.
snake, haemogregarine of a Brazilian, 263.
Steinina rotundata, a gregarine occurring in bird fleas, 499.
Sumatra, protozoa and allied organisms from, 148.
Theileria hippotragi, 146.
Troglodytella abrassarti, Brumpt and Joyeux, 261, fig. 262.
Trypanosoma dorhni, 265.
— *rotatorium*, 498.
— *yakimovi*, 265.
(for further references to trypanosomes, *see under* Sleeping Sickness.)
trypanosomes of fishes, 265.
Uganda, flagellate infections in hemiptera in, 151.
Zoological Gardens, London, blood parasites found in animals in, during 1908–11, 146.

Rat Bite Disease, 407–409.

References, lists of, 321–355, 591–618.

Relapsing Fever (and Spirochaetosis), 32–42, 384–397, 619–631.
Africa, North, studies on the relapsing fever of, 620.
Argas and spirochaetes, 395.

Relapsing Fever, &c.—*cont.*
arrhenal, action on spirochaete infection, 36.
arsenical compounds, action on experimental spirillosis, 392.
arsenobenzol. *See* salvarsan.
atoxyl, action on spirochaetes in vitro, 390.
— treatment of relapsing fever with, 34.
biology of spirochaetes of relapsing fever, 42.
blood corpuscles, modifications in, resembling spirochaetes, 630, 631.
Borrelia tonae magna, *media*, and *minima*, 631.
Burri method of staining spirochaetes, modification of, 395.
cacodyl, action on spirochaete infections, 36.
chemotherapy of spirillosis, 34–40, 389–392.
— *See also* treatment.
classification of spirochaetes, 393–394, 630.
cultivation of spirochaetes, 40, 41, 384.
— fowl spirochaete, 384, 629.
differentiation of spirochaete strains by "crossed immunity" test, 621.
etiology of relapsing fever, 32.
fowl spirochaete, cultivation of, 384, 629.
— — infection of mice with, 384.
fowl spirochaetosis, treatment with iodine, 391.
— — — mercury compounds, 389.
— — — neosalvarsan, 390, 391.
guinea-pig, spirochaete in, 396.
haemolytic substances, action on spirochaetes of, 397.
Herter lecture on spirochaetosis, 619.
horses, "Tona" of, in Samoa, 631.
incidence of relapsing fever:
Annam, 623.
Darjeeling District, 387.
Indo-China, 33, 34, 385.
Macedonia, 625.
Madagascar, 625.
Persia, 624.
Philippines, 630.
Quetta, 386.
louse as transmitter of relapsing fever, 32, 35, 626.
mercury, action of organic compounds on spirochaete infections, 36, 38, 389.
monkeys, receptivity to relapsing fever of N. Africa, 620, 621.
mice, infection with *S. gallinarum*, 384.

Relapsing Fever, &c.—*cont.*
neosalvarsan, treatment of relapsing fever with, 35.
— action on spirochaetes, 389, 390.
pollack, spirochaete from the, 396.
rabbits, receptivity to relapsing fever, 41, 620.
salvarsan, treatment of relapsing fever with, 34, 35, 40.
— action on spirochaete infections, 36, 39, 390.
Spirochaeta ctenocephali, parasitic in the dog flea, 160.
— *duttoni*, transmission experiments with lice and, 626.
— *gallinarum*, infection of mice with, 384.
— — *See also* fowl spirochaetosis.
— *persica*, 624.
— *pollachii*, 396.
— *schaudinni*, 231.
spirochaetes and argas, 395.
— classification of, 393, 394, 630.
— cultivation of, 40, 41, 384, 629.
staining methods for spirochaetes, 42, 395.
stomoxys, transmission experiments with, 42.
symptomatology of relapsing fever in Indo-China, 385.
— — — in Quetta, 386.
— — — in Darjeeling District, 386, 387.
ticks, life-cycle of spirochaetes in, 395.
— transmission experiments with, 33, 387.
"Tona" of horses in Samoa, 631.
toxin production by spirochaetes, 37.
transmission experiments with lice, 32, 35, 626.
— — with ticks, 33, 387.
transmission of *S. gallinarum* to mice by inoculation, 384.
treatment of fowl spirochaetosis:
with iodine, 391.
with mercury, 389.
with neosalvarsan, 390, 391.
treatment of relapsing fever:
with antimony preparations, 627.
with atoxyl, 34, 628.
with neosalvarsan, 35, 629.
with salvarsan, 34, 35, 392, 628, 629. *See also* chemotherapy.

Reports, Annual, &c.
Army, Health of, 236.
Belgian Congo, 280.
Bengal, Report on Malaria in, 644.
Bombay Bacteriological Laboratory, 59.

Reports, Annual, &c.—*cont.*
British Guiana, 729.
Ceylon, 143.
Cyprus, 729.
East Africa Protectorate, 584.
Fiji, 730.
Gambia, 250, 284.
Gibraltar, 731.
Gold Coast, 285.
Illinois Pellagra Commission, 300, 691.
India, Sanitary Commissioner, 66, 235.
— Seventh Report on Plague Investigations in, 537.
Jamaica Malaria Commission, 645.
Malay States, 732.
Mauritius, 585.
Montserrat, 734.
Nigeria, Northern, 31, 91, 288.
— Southern, 92, 286.
Nyasaland, 31, 279, 291, 657.
Northern Territory, 586.
Sierra Leone, 31, 92, 284.
Somaliland, 734, 735.
Togo, 249.
Uganda, 135, 289.
Windward Islands (St. Lucia), 144.

Reviews of Books, 58, 234, 476, 589–590.
Aids to Tropical Medicine (Blackham), 589.
Bacteriology of Surface Water in the Tropics (Clemesha), 589.
Care and Treatment of European Children in the Tropics (Harston), 589.
Introduction to the Study of the Protozoa (Minchin), 259.
Journal of the East Africa and Uganda Natural History Society, 476.
Laboratory Studies in Tropical Medicine (Daniels & Newham), 58.
Pellagra (Roberts).
Précis d'Anatomie Pathologique (Letulle & Nattan-Larrier), 234.
Précis de Microscopie (Langeron), 590.
Treatise on Pellagra (Wood), 679.
Trypanosomes et Trypanosomiases (Laveran & Mesnil), 522.
Vaccine Therapy (Allen), 234.

Skin, Tropical Diseases of the, 227–233.
angiokeratoma resembling madura foot, 230.
blastomycosis of the skin, 227.
copra itch, 232.

Skin, Tropical Diseases of the—*cont.*
Endodermophyton concentricum, 229.
— *indicum*, 229.
Epidermophyton cruris, 227, 228.
— *inguinalis*, 227, 228.
— *perneti*, 228.
— *purpureum*, 228.
— *rubrum*, 228.
Foxia mansoni, 229.
Intertrigo saccharomycetica, 228.
madura foot, angiokeratoma resembling, 230.
Malassezia tropica, 228.
Micrococcus nigrescens, 229.
— *pelletieri*, 230.
Mycetoma with red-granules, 230.
Nocardia pelletieri, 230.
— *tenuis*, 229.
Oospora : a new pathogenic, 230.
Spirochaeta schaudinni, 231.
Tinea capitis tropicalis, 228.
— cruris, 228.
— flava, 228.
— imbricata, 229.
— nigra, 228.
Trichomycosis flava, rubra et nigra, 229.
Tricophyton castellani, 228.
— *cruris*, 227.
— *endo-ectothrix*, 228.
— *nodoformans*, 227, 228.
Tripoli, tropical skin diseases in, 233.
Tyroglyphus longior Gerv. var. *Castellanii* Hirst, 233.
Ulcus tropicum, 231, 232.

Sleeping Sickness (and other Trypanosomiases), 43–58, 124–139, 266–283, 502–527, 654–678.
acridine. *See* treatment of experimental trypanosomiasis.
American trypanosomiasis. *See* *Trypanosoma cruzi* infection.
anaemia in nagana of rabbits, 523.
animal trypanosomiasis. *See* trypanosomiases of animals.
antelope and trypanosomiasis, 46, 516, 671.
arsenophenylglycin, prophylactic action of, 271, 272.
— time of appearance of relapses after treatment with, 666.
— *See* treatment.
Ashanti, prophylactic clearing measures in, 278, 279.
atoxyl, prophylactic action of, 667.
— *See* treatment.
autoagglutination, 128.
Bamako, focus of sleeping sickness near, 518.

Sleeping Sickness, &c.—*cont.*
Belgian Congo :
animal trypanosomiasis in, 125, 517.
distribution of tsetse flies in, 56, 519.
human trypanosomiasis in, 280.
bile salts, action on trypanosomes, 139, 525.
camel trypanosome, 137.
cattle, immune breed of, in S. Kordofan, 673.
— trypanosomes in Northern Nigeria, 674.
— — N.E. Rhodesia, 126, 516.
— — Portugal, 139, 282.
— — the Soudan, 673.
Chagas' disease. *See* *Trypanosoma cruzi* infection.
Cimex rotundatus, transmission of *T. cruzi* by, 670.
Conorhinus rubrofasciatus, a trypanosome found in, 280.
cultivation of trypanosomes, 53.
— of the eel trypanosome (*T. granulosum*), 676.
— of pure strains from a single trypanosome, 525.
diagnosis, 128, 129, 508.
— by autoagglutination test, 128.
— by serum agglutination, 129.
differentiation of trypanosomes 129, 137, 138, 522.
England, cases of human trypanosomiasis treated in, 273–275.
fishes, trypanosomes of, 265.
fleas, development of trypanosomes of small rodents in, 668.
— transmission of *T. lewisi* by, 127, 128, 668.
French Congo, human trypanosomiasis in, 35, 518.
German East Africa, human trypanosomiasis in, 513, 654.
Glossina, distribution in Belgian Congo, 56, 519.
— distribution in Eastern Tropical Africa, 277.
Glossina austeni, 278, 523.
G. fuscipleuris, 523.
G. longipennis, 523.
— — transmission of trypanosomes by, 505.
G. morsitans, biology of, 505.
— — in Eastern Tropical Africa, 277.
— — in the Luangwa Valley, 276.
— — and *T. gambiense*, 266, 270, 505.
— — and *T. rhodesiense*, 43, 126, 268.
G. pallidipes, 278.

Sleeping Sickness, &c.—*cont.*
G. palpalis, action of arsenophenylglycin on *T. gambiense* in, 271.
— — bionomics of, 48.
— — development of trypanosomes in, 46, 502.
— — duration of infectivity, 47.
— — exogenous cycle of *T. gambiense* in, 44, 267, 502.
— — and sleeping sickness near Bamako, 518.
Herter lecture, 522.
histopathology of trypanosomiasis, 132.
immune breed of cattle in S. Kordofan, 673.
immunisation against pathogenic trypanosomes, 138, 512, 678.
— by cultures of *T. lewisi*, 510.
Katanga, Lower, animal trypanosomiasis in, 125.
— Upper, animal trypanosomiasis in, 517.
Lado Enclave, animal trypanosomiasis in, 673.
— human trypanosomiasis in, 507.
Luangwa Valley, notes on *G. morsitans* in, 276.
— trypanosomes of game and domestic stock in, 139, 516.
lumbar puncture findings in human trypanosomiasis, 515.
Nigeria, N., trypanosomiasis of domestic stock in, 674.
Nyasaland, human trypanosomiasis of, 54, 279, 515, 656, 657.
— morphology of human trypanosome strain in, 661.
— trypanosomes found in wild animals in, 671.
orthochinoid substances, action on trypanosomes, 281, 282.
pneumocysts in rats infected with *T. lewisi*, 58.
Portugal, cattle trypanosomes in, 139, 282.
Portuguese Congo, human trypanosomiasis in, 665.
prophylactic action of arsenophenylglycin, 271, 272.
— — atoxyl, 667.
— clearing measures in Ashanti, 278, 279.
Reduviid (*Conorhinus rubrofasciatus*), a trypanosome of, 280.
Rhodesia, Northern, human trypanosomiasis of, 55, 515, 655.
— North Eastern, trypanosomes of game and domestic stock in, 139, 516.
— Southern, human trypanosomiasis in, 519, 655.

Sleeping Sickness, &c.—*cont.*
Rovuma River district, human trypanosome of the, 513, 654.
Russia-in-Europe, *T. equiperdum* infection in, 526.
salvarsan. *See* treatment.
Schizotrypanum cruzi. See *Trypanosoma cruzi*.
Sebungwe district. *See* Rhodesia, Southern.
serum diagnosis, 129, 137.
sleeping sickness. *See* trypanosomiasis in man.
squirrel, trypanosome of the flying, 125.
Sudan Sleeping Sickness Commission report, 507.
— animal trypanosomiasis in the, 673.
symptoms of human trypanosomiasis, 136, 275, 279, 508, 665.
— in case contracted in laboratory, 506.
testes of rabbits in experimental infections, 677.
transmission of trypanosomes, mechanism of, 124, 137.
— — of small rodents by fleas, 127, 128, 668.
— experiments with *G. longipennis*, 505.
— — with *G. morsitans* and *T. gambiense*, 266, 270, 505.
— of *T. gambiense* by *G. palpalis*, 46–48.
— of *T. rhodesiense* by *G. morsitans*, 43, 126, 268.
treatment of experimental trypanosomiasis, 271, 272, 509, 510.
acridine, 510.
arsenophenylglycin, 271–272.
salvarsan, 509.
— of human trypanosomiasis, 129–131, 273–275, 506, 508, 663–668.
anarcotine (proposed), 275.
arsenophenylglycin, 508, 666.
antimony (metallic), 508, 663.
atoxyl, 274, 508, 664, 665, 667.
atoxyl and antimony, 274, 665.
liq. arsenicalis and other drugs, 274, 508.
salvarsan, 129, 508, 664.
tryparosan, 130, 508.
trypaflavin, 130.
— — in England, 273–275.
— — time of appearance of relapses after arsenophenylglycin, 666.
Trypanosoma blanchardi, development in fleas, 669.
T. boylei, 281.
T. brucei, 662.

Sleeping Sickness, &c.—*cont.*
T. brucei infection in rabbits, anaemia in, 523.
— — — treatment with salvarsan, 509.
— — posterior nucleated forms in, 53.
— — (*pecaudi*), transmission of, 125.
T. caprae, 675.
T. cruzi, in experimental animals, 134, 135.
— — infections, haematological studies in, 521.
— — — symptoms of, 521.
— — — urological studies in, 521.
— — penetration of conjunctiva by, 283.
— — transmission of, 668, 670.
T. denysi, 125.
T. dorhni, 265.
T. duttoni, development in fleas and bugs, 669.
— — morphology under abnormal conditions, 527.
T. equiperdum infection, treatment with salvarsan, 509.
— — in Russia-in-Europe, 526.
T. gambiense, cultivation of, 53.
— — in *G. palpalis*, action of arsenophenylglycin on, 271.
— — in the tissues, 132.
— — morphology and life history, 44, 267, 502.
— — polymorphism of, and its relation to the exogenous cycle in *G. palpalis*, 44, 267, 502.
— — transmission experiments with *G. morsitans*, 266, 270, 505.
— — and *T. rhodesiense*, differentiation of, 131.
— — and *T. rhodesiense*, measurement of, 657.
T. granulosum, cultivation *in vitro*, 676.
T. lewisi, development in fleas, lice and bugs, 127, 128, 668.
— — immunization by cultures of, 510.
— — infection of jerboa and dormouse with, 526.
— — morphology under abnormal conditions, 527.
— — transmission of, 127, 128, 668.
T. nabiasi, development in fleas, 668.
T. nanum, life-cycle in *G. palpalis*, 502.
T. rhodesiense, 53, 131, 276, 513–516, 654–662.
— — and *T. gambiense*, measurements of 657.

Sleeping Sickness, &c.—*cont.*
T. rhodesiense, cultivation of, 53.
— — infection in Portuguese East Africa, 514.
— — meteorological conditions and transmission of, 43, 126.
— — morphology, 53, 131, 276, 513, 659.
— — posterior nuclear forms in, 661.
— — transmission experiments with *G. morsitans*, 43, 126, 268.
T. rotatorium, 498.
T. uniforme, 46.
T. yakimovi, 265.
trypanosomes, action of certain orthochinoid substances on, 282.
— and trypanosomiases (review), 522.
— and tsetse flies, biogeographical relations of, 503, 504.
— arsenic-fast strains of, 56, 282.
— of fishes, 265.
— thread-like appendages in, 52.
trypanosomiases of animals :
in Belgian Congo, 125, 517.
in the Lado Enclave, 673.
in N. Nigeria, 674.
in Nyasaland, 671.
in Portugal, 139, 282.
in N. E. Rhodesia, 139, 516.
in Russia-in-Europe, 526.
trypanosomiasis in man :
in Belgian Congo, 280.
in French Congo, 85, 518.
in German East Africa, 513, 654.
in Lado Enclave, 507.
in Nyasaland, 54, 279, 515, 656, 657.
in Portuguese Congo, 665.
in N. Rhodesia, 55, 515, 655.
in S. Rhodesia, 519, 655.
in Uganda, 46, 135.
— — infection contracted in laboratory, 506.
— — neurology and psychiatry in, 136.
— — course of wounds and trauma in, 57.
tsetse flies and trypanosomes, biogeographical relation of, 503, 504.
— distribution :
in Belgian Congo, 56.
in Eastern Tropical Africa, 276.
— method of feeding in captivity, 124.
— *See* also under *Glossina*.
tsetse-fly traps, 673.
tsetse-lime, experiments with, 51.
Uganda, sleeping sickness investigations, 46, 135.
wounds in human trypanosomiasis, course of, 57.

Snake Bite, 410–414.
reference to literature, 613, 614.
snakes and snake bite in the Fukien Province, China, 411.
— — in South Africa, 412.
treatment with potassium permanagate, 410, 411, 413.

Spirochaetosis. *See* **Relapsing Fever.**

Splenomegaly. *See* **Miscellaneous : and Kala Azar.**

Sprue, 725.

Trypanosomiases. *See* **Sleeping Sickness.**

Typhus Fever, 398–402.
Astrachan, typhus fever in, 398.
blood, arterial pressure in typhus fever, 402.
diagnosis, 400.
immunity, natural and induced, 401.
prophylaxis in Tunis (1909–1912), 399.
references to literature, 611–612.

Undulant Fever, 74–81, 576–582.
agglutination reaction, 75–77, 576–578.
carriers, human, of undulant fever, 80.
complement, fixation in, 77.
diagnosis by serum reaction, 75–77, 576–578.
erratum, 582.
etiology, 74.
goat, undulant fever in, in S. Africa, 79.
goats, percentage of infected, 74.
hepatic complications in undulant fever, 80.
incidence of undulant fever, 74.
in Africa, South, 78.
in Corsica, 81.
in Peru, 80.
in Spain, 581.
infants, undulant fever in, 79, 580.

Undulant Fever—*cont.*
para-melitensis fever, case of, 579.
— strain, 75, 76.
prophylaxis of undulant fever, 74.
references to literature, 353–354, 612–613.
serum diagnosis, 75–77, 576–578.
sucklings, undulant fever in, 79, 580.
treatment of undulant fever, 79, 578, 579.

Verruga peruviana, 726–728.

Yaws, 140–145, 528–530.
cultivation of *Treponema* in fluid media, 141 (fig.)
granule shedding in *T. pertenue*, 140.
incidence :
in Annam, 140.
in Belgian Congo, 530.
in Ceylon, 143.
in Dutch Guinea, 529.
in Fiji, 140, 528.
in Guam, 528.
in Tripoli, 143.
in Windward Islands, 144.
neosalvarsan in treatment, 142, 143.
papular roseola in, 528.
references to literature, 354, 613.
salvarsan in treatment, 142–144, 528–530.
transmission, experimental, 141, 142.
treatment, 143–145, 528–530.
— experimental, 142.

Yellow Fever, 246–253.
etiology, 246.
incidence :
in Bermuda (1699–1879), 253.
in Dahomey, 251.
in Gambia, 250.
in Martinique, 252.
in Togoland, 249.
in Yucatan, 246.
Paraplasma flavigenum, 247.
prophylaxis, 251, 252.
references to literature, 354–355, 613.